



TMT GLOBAL 6U Flush ,Wall Mounted Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4700	TMT-06UHAWG	6U 450X120 MM WALL MOUNTED CABINET
TMT-4701	TMT-06UHAFG	6U 450X120 MM FLUSH MOUNTED CABINET



TMT GLOBAL 9U Flush ,Wall Mounted Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4710	TMT-09UIAFG	9U 500X120 MM FLUSH MOUNTED CABINET
TMT-4711	TMT-09UIAWG	9U 500X120 MM WALL MOUNTED CABINET
TMT-4712	TMT-09UHAFG	9U 450X120 MM FLUSH MOUNTED CABINET
TMT-4713	TMT-09UKAFG	9U 600X120 MM FLUSH MOUNTED CABINET

CABINET SERIES



FLUSH MOUNTED CABINET



www.tmtuae.com | info@tmtuae.com





TMT GLOBAL 12U Flush ,Wall Mounted Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powered structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Material	Solid steel construction
Coating	Polyester powered structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4720	TMT-12UGAFO	12U 400X120 MM FLUSH MOUNTED CABINET
TMT-4721	TMT-12UKAFO	12U 600X120C MM FLUSH MOUNTED CABINET
TMT-4722	TMT-12UHBFW	12U 450X150 MM FLUSH MOUNTED CABINET
TMT-4723	TMT-12UHBWW	12U 450X150 MM WALL MOUNTED CABINET
TMT-4724	TMT-12UKBFW	12U 600X150 MM FLUSH MOUNTED CABINET
TMT-4725	TMT-12UKBWW	12U 600X150CM WALL MOUNTED CABINET
TMT-4726	TMT-12UKEFW	12U 600X300 MM FLUSH MOUNTED CABINET
TMT-4727	TMT-12UKEWW	12U 600X300 MM WALL MOUNTED CABINET

CABINET SERIES



**FLOOR
MOUNTED
CABINET**



www.tmtuae.com | info@tmtuae.com





TMT GLOBAL 15U wall ,Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4740	TMT-15UKKFW	15U 600X600 MM FLOOR MOUNTED CABINET
TMT-4741	TMT-15UKKWW	15U 600X600 MM WALL MOUNTED CABINET
TMT-4742	TMT-15UKHWW	15U 600X450 MM WALL MOUNTED CABINET

CABINET SERIES



FLOOR MOUNTED CABINET



www.tmtuae.com | info@tmtuae.com





TMT GLOBAL 18U wall ,Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4750	TMT-18UKKFW	18U 600X600 MM FLOOR MOUNTED CABINET
TMT-4751	TMT-18UKKWW	18U 600X600 MM WALL MOUNTED CABINET
TMT-4752	TMT-18UKOFW	18U 600X800 MM FLOOR MOUNTED CABINET



TMT GLOBAL 22U Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4760	TMT-22UOOFB	22U 800X800 MM FLOOR MOUNTED CABINET
TMT-4761	TMT-22UOKFB	22U 800X600X MM FLOOR STANDING CABINET



TMT GLOBAL 27U Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powered structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Specifications	
Material	Solid steel construction
Coating	Polyester powered structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4766	TMT-22UKKFB	27U 600X600 MM FLOOR STANDING CABINET



TMT GLOBAL 32U Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4770	TMT-32UKKFB	32U 600X600 MM FLOOR STANDING CABINET



TMT GLOBAL 42U Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications

Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4780	TMT-42UOOFB	42U 800X800 MM FLOOR STANDING CABINETS
TMT-4781	TMT-42UKOFB	42U 600X800 MM FLOOR STANDING CABINETS
TMT-4782	TMT-42UKKFB	42U 600X600 MM FLOOR STANDING CABINETS



TMT GLOBAL 47U Floor Standing Cabinet

Products description

TMT GLOBAL Cabinet / Racks Manufactured from 1.5mm cold rolled carton sheet coated with polyester powder structure paint. With welded steel frame and gland plates at the top and bottom for cable entry. Two pairs of fully adjustable 2mm 19" profile With universal punching are fitted in every enclosure Wall mounting holes at the rear for easy mounting .

TMT GLOBAL cabinet/racks is designed for indoor wall mounted & Floor Standing using, cold-roll steel, with Vertical Cable Manager trays for cable distribution and management.

Features

- Solid steel construction.
- Available on flush, wall mounted and floor standing.
- Adjustable 19" mount.
- Mechanical open / close lock.
- Lock handle.
- Inner mount plate with grid mount.
- Top and bottom panel cable entry.
- Ventilation holes on front panel.
- Cabinet can be fitted with 1U patch panel.
- Embedded grounding copper coated stud bolts.

Application

- Telecommunications,
- Fiber to the home (FTTH)
- Server Room
- Data center ,
- LAN / WAN, CATV
- IPTV
- CCTV

Specifications	
Material	Solid steel construction
Coating	Polyester powder structure paint.
Housing thickness	1.5mm
Front Door	3mm tempered glass reinforced and metal panel
Rear Plate	Fixed
Side panels	Quick release removable side panels.
Ventilation	Grill cut outs provide on front sides.
Rating	IP 20
Colour	As per Requirement ,,,
Durability	Lifetime
Packing	Supplied assembled, unassembled
Weight	XX

Model No	Product ID	ORDERING INFORMATION
TMT-4990	TMT-47UROFB	47U 1000X800 MM FLOOR STANDING CABINET