




PRODUCTS
CATALOGUE

ALARM CABLES





2CORE 1.5MM 305M ALARM CABLE




2CORE ALARM CABLE

CONDUCTOR ←

INNER JACKET ←

OUTER JACKET ←



TMT GLOBAL ALARM CABLE 2CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable

Conductor: HCCA /Bare Copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.50mm-5.2mm

Material : 70° new material

Colour: Grey/Blue/Black/Customize Colour

Max Working Voltage: 300V

Conductor size : 16 AWG/1.5MM

Jacket : PVC

Temperature Range: -40°C to +80°C

Shielded : NL

Packing : 305m Reel

Model No: TMT-0216CPURG-AR

Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2CORE 1.5MM 305M ALARM CABLE SHIELDED



2CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 2CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-5.2mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0216CPSRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems







2CORE 1.5MM 305M ALARM CABLE SHIELDED



2CORE ALARM CABLE

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET



TMT GLOBAL ALARM CABLE SHIELDED 2CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-5.2mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0216CPBRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2CORE 1.5MM 305M ALARM CABLE



2CORE ALARM CABLE



TMT GLOBAL ALARM CABLE 2CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-5.2mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : NL
Packing : 305m Reel
Model No: TMT-0216CPUFG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2CORE OUTDOOR 305M ALARM CABLE



2CORE OUTDOOR ALARM CABLE



TMT GLOBAL ALARM CABLE 2CORE OUTDOOR 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-5.2mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : NL
Packing : 305m Reel
Model No: TMT-0216CKURK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2CORE SHIELDED OUTDOOR 1.5MM 305M ALARM CABLE



2CORE OUTDOOR SHIELDED ALARM CABLE

COPPER CONDUCTOR
INNER JACKET
ALUMINUM FOIL
OUTER JACKET



TMT GLOBAL ALARM CABLE 2CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-5.2mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0216CKSRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2CORE SHIELDED OUTDOOR 1.5MM 305M ALARM CABLE



2CORE OUTDOOR ALARM CABLE



TMT GLOBAL ALARM CABLE 2CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable

Conductor: HCCA /Bare Copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.50mm-5.2mm

Material : 70° new material

Colour: Grey/Blue/Black/Customize Colour

Max Working Voltage: 300V

Conductor size : 16 AWG/1.5MM

Jacket : PE

Temperature Range: -40°C to +80°C

Shielded : Aluminium Foiled + Over All Braiding

Packing : 305m Reel

Model No: TMT-0216CKBRK-AR

Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2CORE OUTDOOR 305M ALARM CABLE



2CORE OUTDOOR ALARM CABLE

CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBAL ALARM CABLE 2CORE OUTDOOR 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.


GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-5.2mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : NL
Packing : 305m Reel
Model No: TMT-0216CKUFK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3CORE 1.5MM 305M ALARM CABLE





3CORE ALARM CABLE

CONDUCTOR

INNER JACKET

OUTER JACKET



TMT GLOBAL ALARM CABLE 3CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable

Conductor: HCCA /Bare Copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.50mm-6.5mm

Material : 70° new material

Colour: Grey/Blue/Black/Customize Colour

Max Working Voltage: 300V

Conductor size : 16 AWG/1.5MM

Jacket : PVC

Temperature Range: -40°C to +80°C

Shielded : NL

Packing : 305m Reel


Model No: TMT-0316CPURG-AR

Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems







3 CORE SHIELDED 1.5MM 305M ALARM CABLE



3CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 3CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.


GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0316CPSRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems







3 CORE SHIELDED 1.5MM 305M ALARM CABLE



3CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 3CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0316CPBRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems







3CORE OUTDOOR 305M ALARM CABLE



3CORE OUTDOOR ALARM CABLE



TMT GLOBAL ALARM CABLE 3CORE OUTDOOR 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : NL
Packing : 305m Reel
Model No: TMT-0316CKURK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE SHIELDED OUTDOOR 1.5MM 305M ALARM CABLE



3CORE OUTDOOR SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE 3CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminums Foil
Packing : 305m Reel
Model No: TMT-0316CKSRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE SHIELDED OUTDOOR 1.5MM 305M ALARM CABLE



**3CORE OUTDOOR SHIELDED
ALARM CABLE**



TMT GLOBAL ALARM CABLE 3CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.


GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0316CKBRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4CORE 1.5MM 305M ALARM CABLE





4CORE ALARM CABLE

CONDUCTOR

INNER JACKET

OUTER JACKET



TMT GLOBAL ALARM CABLE 4CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable

Conductor: HCCA /Bare Copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.50mm-6.5mm

Material : 70° new material

Colour: Grey/Blue/Black/Customize Colour

Max Working Voltage: 300V

Conductor size : 16 AWG/1.5MM

Jacket : PVC

Temperature Range: -40°C to +80°C

Shielded : N/L

Packing : 305m Reel


Model No: TMT-0416CPURG-AR

Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems







4CORE SHIELDED 1.5MM 305M ALARM CABLE



4CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 4CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.


GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0416CPSRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






4CORE SHIELDED 1.5MM 305M ALARM CABLE



4CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 4CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0416CPBRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






4CORE OUTDOOR 305M ALARM CABLE



4CORE OUTDOOR ALARM CABLE



TMT GLOBAL ALARM CABLE 4CORE OUTDOOR 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.


GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : N/L
Packing : 305m Reel
Model No: TMT-0416CKURK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






4CORE OUTDOOR SHIELDED 1.5MM 305M ALARM CABLE



4CORE OUTDOOR SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE 4CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.


GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0416CKSRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






4CORE OUTDOOR SHIELDED 1.5MM 305M ALARM CABLE



4CORE OUTDOOR SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE 4CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0416CKBRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6CORE 1.5MM 305M ALARM CABLE




6CORE ALARM CABLE

CONDUCTOR

INNER JACKET

OUTER JACKET



TMT GLOBAL ALARM CABLE 6CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable

Conductor: HCCA /Bare Copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.50mm-6.5mm

Material : 70° new material

Colour: Grey/Blue/Black/Customize Colour

Max Working Voltage: 300V

Conductor size : 16 AWG/1.5MM

Jacket : PVC

Temperature Range: -40°C to +80°C

Shielded : N/L

Packing : 305m Reel

Model No: TMT-0616CPURG-AR

Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






6 CORE SHEILDED 1.5MM 305M ALARM CABLE



6CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 6CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0616CPSRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






6 CORE SHEILDED 1.5MM 305M ALARM CABLE



6CORE SHIELDED ALARM CABLE

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET



TMT GLOBAL ALARM CABLE SHIELDED 6CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0616CPBRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






6 CORE OUTDOOR 305M ALARM CABLE



6CORE OUTDOOR ALARM CABLE



TMT GLOBAL ALARM CABLE 6CORE OUTDOOR 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : N/L
Packing : 305m Reel
Model No: TMT-0616CKURK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






6CORE OUTDOOR SHIELDED 1.5MM 305M ALARM CABLE



6CORE OUTDOOR SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE 6CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0616CKSRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






6 CORE OUTDOOR SHIELDED 1.5MM 305M ALARM CABLE



6CORE OUTDOOR SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE 6CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0616CKBRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8CORE 1.5MM 305M ALARM CABLE




8CORE ALARM CABLE

CONDUCTOR

INNER JACKET

OUTER JACKET



TMT GLOBAL ALARM CABLE 8CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable

Conductor: HCCA /Bare Copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.50mm-6.5mm

Material : 70° new material

Colour: Grey/Blue/Black/Customize Colour

Max Working Voltage: 300V

Conductor size : 16 AWG/1.5MM

Jacket : PVC

Temperature Range: -40°C to +80°C

Shielded : N/L

Packing : 305m Reel

Model No: TMT-0816CPURG-AR

Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






8 CORE SHIELDED 1.5MM 305M ALARM CABLE



8CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE SHIELDED 8CORE 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PVC
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled
Packing : 305m Reel
Model No: TMT-0816CPSRG-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






8CORE OUTDOOR SHIELDED 1.5MM 305M ALARM CABLE



8CORE SHIELDED ALARM CABLE



TMT GLOBAL ALARM CABLE 8CORE SHIELDED OUTDOOR 1.5MM 305M

TMT GLOBAL Provides High Quality Alarm Cables for use in Various Industrial And Building Automation Indoor and Outdoor Applications. They Can Be Easily use With Their Flexible Construction in Narrow Application Like CCTV Systems SMATV System Audio Video Intercom Systems Public Address Systems Access Control Systems Burglar Alarm Systems Lighting Control Systems Gate Automation Systems Smart Home Automation Building Automation Systems Computer Systems and Many More ELV Systems. The Products Has Unique Properties and Benefits for Different Types of use. **TMT GLOBAL** Alarm Cable Products Can Easily Meet Complex Application Requirements and Specifications.

GENERAL SPECIFICATION

Cable Type: Alarm Cable
Conductor: HCCA /Bare Copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.50mm-6.5mm
Material : 70° new material
Colour: Grey/Blue/Black/Customize Colour
Max Working Voltage: 300V
Conductor size : 16 AWG/1.5MM
Jacket : PE
Temperature Range: -40°C to +80°C
Shielded : Aluminium Foiled + Over All Braiding
Packing : 305m Reel
Model No: TMT-0816CKSRK-AR
Manufactured By: FAHAD CABLES INDUSTRY FZE (MADE IN UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8CORE OUTDOOR SHIELDED 1.5MM 305M ALARM CABLE



SPEAKER

CABLES