

DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES



🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD BLUE COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBB00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES



🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD WHITE COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBW00-100



DATA PATCH CORD
23AWG SERIES



DATA PATCH CORD SERIES



🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD BACK COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBK00-100



DATA PATCH CORD
23AWG SERIES



DATA PATCH CORD SERIES




🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES




CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD GREEN COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBN00-100



DATA PATCH CORD
23AWG SERIES



DATA PATCH CORD SERIES




🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD RED COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBR00-100



DATA PATCH CORD 23AWG SERIES



DATA PATCH CORD SERIES




🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD GREY COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBG00-100



DATA PATCH CORD
23AWG SERIES



DATA PATCH CORD SERIES



🌐 www.tmtglobal.co.uk ✉ info@tmtglobal.co.uk

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E STP PATCH CORD YELLOW COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4SBY00-100



DATA PATCH CORD 23AWG SERIES



ORDER INFORMATION

Blue Color	
5X4SBB00	Cat5e stp Patch cord 24 awg Blue 0.06 CM
5X4SBB00	Cat5e stp Patch cord 24 awg Blue 0.08 CM
5X4SBB00	Cat5e stp Patch cord 24 awg Blue 0.12 CM
5X4SBB00	Cat5e stp Patch cord 24 awg Blue 0.15 CM
5X4SBB01	Cat5e stp Patch cord 24 awg Blue 1 meter
5X4SBB02	Cat5e stp Patch cord 24 awg Blue 2 meter
5X4SBB03	Cat5e stp Patch cord 24 awg Blue 3 meter
5X4SBB04	Cat5e stp Patch cord 24 awg Blue 4 meter
5X4SBB05	Cat5e stp Patch cord 24 awg Blue 5 meter
5X4SBB06	Cat5e stp Patch cord 24 awg Blue 6 meter
5X4SBB08	Cat5e stp Patch cord 24 awg Blue 8 meter
5X4SBB10	Cat5e stp Patch cord 24 awg Blue 10 meter
5X4SBB12	Cat5e stp Patch cord 24 awg Blue 12 meter
5X4SBB15	Cat5e stp Patch cord 24 awg Blue 15 meter
5X4SBB20	Cat5e stp Patch cord 24 awg Blue 20 meter
5X4SBB25	Cat5e stp Patch cord 24 awg Blue 25 meter
5X4SBB30	Cat5e stp Patch cord 24 awg Blue 30 meter
5X4SBB40	Cat5e stp Patch cord 24 awg Blue 40 meter
5X4SBB50	Cat5e stp Patch cord 24 awg Blue 50 meter
5X4SBB60	Cat5e stp Patch cord 24 awg Blue 60 meter
5X4SBB70	Cat5e stp Patch cord 24 awg Blue 70 meter
5X4SBB80	Cat5e stp Patch cord 24 awg Blue 80 meter
5X4SBB90	Cat5e stp Patch cord 24 awg Blue 90 meter
5X4SBB99	Cat5e stp Patch cord 24 awg Blue 100 meter

Grey Color	
5X4SBG00	Cat5e stp Patch cord 24 awg Grey 0.06 CM
5X4SBG00	Cat5e stp Patch cord 24 awg Grey 0.08 CM
5X4SBG00	Cat5e stp Patch cord 24 awg Grey 0.12 CM
5X4SBG00	Cat5e stp Patch cord 24 awg Grey 0.15 CM
5X4SBG01	Cat5e stp Patch cord 24 awg Grey 1 meter
5X4SBG02	Cat5e stp Patch cord 24 awg Grey 2 meter
5X4SBG03	Cat5e stp Patch cord 24 awg Grey 3 meter
5X4SBG04	Cat5e stp Patch cord 24 awg Grey 4 meter
5X4SBG05	Cat5e stp Patch cord 24 awg Grey 5 meter
5X4SBG06	Cat5e stp Patch cord 24 awg Grey 6 meter
5X4SBG08	Cat5e stp Patch cord 24 awg Grey 8 meter
5X4SBG10	Cat5e stp Patch cord 24 awg Grey 10 meter
5X4SBG12	Cat5e stp Patch cord 24 awg Grey 12 meter
5X4SBG15	Cat5e stp Patch cord 24 awg Grey 15 meter
5X4SBG20	Cat5e stp Patch cord 24 awg Grey 20 meter
5X4SBG25	Cat5e stp Patch cord 24 awg Grey 25 meter
5X4SBG30	Cat5e stp Patch cord 24 awg Grey 30 meter
5X4SBG40	Cat5e stp Patch cord 24 awg Grey 40 meter
5X4SBG50	Cat5e stp Patch cord 24 awg Grey 50 meter
5X4SBG60	Cat5e stp Patch cord 24 awg Grey 60 meter
5X4SBG70	Cat5e stp Patch cord 24 awg Grey 70 meter
5X4SBG80	Cat5e stp Patch cord 24 awg Grey 80 meter
5X4SBG90	Cat5e stp Patch cord 24 awg Grey 90 meter
5X4SBG99	Cat5e stp Patch cord 24 awg Grey 100 meter



DATA PATCH CORD 23AWG SERIES



ORDER INFORMATION

Black Color	
5X4SBK00	Cat5e stp Patch cord 24 awg Black 0.06 CM
5X4SBK00	Cat5e stp Patch cord 24 awg Black 0.08 CM
5X4SBK00	Cat5e stp Patch cord 24 awg Black 0.12 CM
5X4SBK00	Cat5e stp Patch cord 24 awg Black 0.15 CM
5X4SBK01	Cat5e stp Patch cord 24 awg Black 1 meter
5X4SBK02	Cat5e stp Patch cord 24 awg Black 2 meter
5X4SBK03	Cat5e stp Patch cord 24 awg Black 3 meter
5X4SBK04	Cat5e stp Patch cord 24 awg Black 4 meter
5X4SBK05	Cat5e stp Patch cord 24 awg Black 5 meter
5X4SBK06	Cat5e stp Patch cord 24 awg Black 6 meter
5X4SBK08	Cat5e stp Patch cord 24 awg Black 8 meter
5X4SBK10	Cat5e stp Patch cord 24 awg Black 10 meter
5X4SBK12	Cat5e stp Patch cord 24 awg Black 12 meter
5X4SBK15	Cat5e stp Patch cord 24 awg Black 15 meter
5X4SBK20	Cat5e stp Patch cord 24 awg Black 20 meter
5X4SBK25	Cat5e stp Patch cord 23 awg Black 25 meter
5X4SBK30	Cat5e stp Patch cord 24 awg Black 30 meter
5X4SBK40	Cat5e stp Patch cord 24 awg Black 40 meter
5X4SBK50	Cat5e stp Patch cord 24 awg Black 50 meter
5X4SBK60	Cat5e stp Patch cord 24 awg Black 60 meter
5X4SBK70	Cat5e stp Patch cord 24 awg Black 70 meter
5X4SBK80	Cat5e stp Patch cord 24 awg Black 80 meter
5X4SBK90	Cat5e stp Patch cord 24 awg Black 90 meter
5X4SBK99	Cat5e stp Patch cord 24 awg Black 100 meter

Green Color	
5X4SBN00	Cat5e stp Patch cord 24 awg Green 0.06 CM
5X4SBN00	Cat5e stp Patch cord 24 awg Green 0.08 CM
5X4SBN00	Cat5e stp Patch cord 24 awg Green 0.12 CM
5X4SBN00	Cat5e stp Patch cord 24 awg Green 0.15 CM
5X4SBN01	Cat5e stp Patch cord 24 awg Green 1 meter
5X4SBN02	Cat5e stp Patch cord 24 awg Green 2 meter
5X4SBN03	Cat5e stp Patch cord 24 awg Green 3 meter
5X4SBN04	Cat5e stp Patch cord 24 awg Green 4 meter
5X4SBN05	Cat5e stp Patch cord 24 awg Green 5 meter
5X4SBN06	Cat5e stp Patch cord 24 awg Green 6 meter
5X4SBN08	Cat5e stp Patch cord 24 awg Green 8 meter
5X4SBN10	Cat5e stp Patch cord 24 awg Green 10 meter
5X4SBN12	Cat5e stp Patch cord 24 awg Green 12 meter
5X4SBN15	Cat5e stp Patch cord 24 awg Green 15 meter
5X4SBN20	Cat5e stp Patch cord 24 awg Green 20 meter
5X4SBN25	Cat5e stp Patch cord 24 awg Green 25 meter
5X4SBN30	Cat5e stp Patch cord 24 awg Green 30 meter
5X4SBN40	Cat5e stp Patch cord 24 awg Green 40 meter
5X4SBN50	Cat5e stp Patch cord 24 awg Green 50 meter
5X4SBN60	Cat5e stp Patch cord 24 awg Green 60 meter
5X4SBN70	Cat5e stp Patch cord 24 awg Green 70 meter
5X4SBN80	Cat5e stp Patch cord 24 awg Green 80 meter
5X4SBN90	Cat5e stp Patch cord 24 awg Green 90 meter
5X4SBN99	Cat5e stp Patch cord 24 awg Green 100 meter



DATA PATCH CORD 23AWG SERIES



ORDER INFORMATION

Red Color	
5X4SBR00	Cat5e stp Patch cord 24 awg Red 0.06 CM
5X4SBR00	Cat5e stp Patch cord 24 awg Red 0.08 CM
5X4SBR00	Cat5e stp Patch cord 24 awg Red 0.12 CM
5X4SBR00	Cat5e stp Patch cord 24 awg Red 0.15 CM
5X4SBR01	Cat5e stp Patch cord 24 awg Red 1 meter
5X4SBR02	Cat5e stp Patch cord 24 awg Red 2 meter
5X4SBR03	Cat5e stp Patch cord 24 awg Red 3 meter
5X4SBR04	Cat5e stp Patch cord 24 awg Red 4 meter
5X4SBR05	Cat5e stp Patch cord 24 awg Red 5 meter
5X4SBR06	Cat5e stp Patch cord 24 awg Red 6 meter
5X4SBR08	Cat5e stp Patch cord 24 awg Red 8 meter
5X4SBR10	Cat5e stp Patch cord 24 awg Red 10 meter
5X4SBR12	Cat5e stp Patch cord 24 awg Red 12 meter
5X4SBR15	Cat5e stp Patch cord 24 awg Red 15 meter
5X4SBR20	Cat5e stp Patch cord 24 awg Red 20 meter
5X4SBR25	Cat5e stp Patch cord 24 awg Red 25 meter
5X4SBR30	Cat5e stp Patch cord 24 awg Red 30 meter
5X4SBR40	Cat5e stp Patch cord 24 awg Red 40 meter
5X4SBR50	Cat5e stp Patch cord 24 awg Red 50 meter
5X4SBR60	Cat5e stp Patch cord 24 awg Red 60 meter
5X4SBR70	Cat5e stp Patch cord 24 awg Red 70 meter
5X4SBR80	Cat5e stp Patch cord 24 awg Red 80 meter
5X4SBR90	Cat5e stp Patch cord 24 awg Red 90 meter
5X4SBR99	Cat5e stp Patch cord 24 awg Red 100 meter

Yellow Color	
5X4SBY00	Cat5e stp Patch cord 24 awg Yellow 0.06 CM
5X4SBY00	Cat5e stp Patch cord 24 awg Yellow 0.08 CM
5X4SBY00	Cat5e stp Patch cord 24 awg Yellow 0.12 CM
5X4SBY00	Cat5e stp Patch cord 24 awg Yellow 0.15 CM
5X4SBY01	Cat5e stp Patch cord 24 awg Yellow 1 meter
5X4SBY02	Cat5e stp Patch cord 24 awg Yellow 2 meter
5X4SBY03	Cat5e stp Patch cord 24 awg Yellow 3 meter
5X4SBY04	Cat5e stp Patch cord 24 awg Yellow 4 meter
5X4SBY05	Cat5e stp Patch cord 24 awg Yellow 5 meter
5X4SBY06	Cat5e stp Patch cord 24 awg Yellow 6 meter
5X4SBY08	Cat5e stp Patch cord 24 awg Yellow 8 meter
5X4SBY10	Cat5e stp Patch cord 24 awg Yellow 10 meter
5X4SBY12	Cat5e stp Patch cord 24 awg Yellow 12 meter
5X4SBY15	Cat5e stp Patch cord 24 awg Yellow 15 meter
5X4SBY20	Cat5e stp Patch cord 24 awg Yellow 20 meter
5X4SBY25	Cat5e stp Patch cord 24 awg Yellow 25 meter
5X4SBY30	Cat5e stp Patch cord 24 awg Yellow 30 meter
5X4SBY40	Cat5e stp Patch cord 24 awg Yellow 40 meter
5X4SBY50	Cat5e stp Patch cord 24 awg Yellow 50 meter
5X4SBY60	Cat5e stp Patch cord 24 awg Yellow 60 meter
5X4SBY70	Cat5e stp Patch cord 24 awg Yellow 70 meter
5X4SBY80	Cat5e stp Patch cord 24 awg Yellow 80 meter
5X4SBY90	Cat5e stp Patch cord 24 awg Yellow 90 meter
5X4SBY99	Cat5e stp Patch cord 24 awg Yellow 100 meter



DATA PATCH CORD 23AWG SERIES



ORDER INFORMATION

White Color	
5X4SBW00	Cat5e stp Patch cord 24 awg White 0.06 CM
5X4SBW00	Cat5e stp Patch cord 24 awg White 0.08 CM
5X4SBW00	Cat5e stp Patch cord 24 awg White 0.12 CM
5X4SBW00	Cat5e stp Patch cord 24 awg White 0.15 CM
5X4SBW01	Cat5e stp Patch cord 24 awg White 1 meter
5X4SBW02	Cat5e stp Patch cord 24 awg White 2 meter
5X4SBW03	Cat5e stp Patch cord 24 awg White 3 meter
5X4SBW04	Cat5e stp Patch cord 24 awg White 4 meter
5X4SBW05	Cat5e stp Patch cord 24 awg White 5 meter
5X4SBW06	Cat5e stp Patch cord 24 awg White 6 meter
5X4SBW08	Cat5e stp Patch cord 24 awg White 8 meter
5X4SBW10	Cat5e stp Patch cord 24 awg White 10 meter
5X4SBW12	Cat5e stp Patch cord 24 awg White 12 meter
5X4SBW15	Cat5e stp Patch cord 24 awg White 15 meter
5X4SBW20	Cat5e stp Patch cord 24 awg White 20 meter
5X4SBW25	Cat5e stp Patch cord 24 awg White 25 meter
5X4SBW30	Cat5e stp Patch cord 24 awg White 30 meter
5X4SBW40	Cat5e stp Patch cord 24 awg White 40 meter
5X4SBW50	Cat5e stp Patch cord 24 awg White 50 meter
5X4SBW60	Cat5e stp Patch cord 24 awg White 60 meter
5X4SBW70	Cat5e stp Patch cord 24 awg White 70 meter
5X4SBW80	Cat5e stp Patch cord 24 awg White 80 meter
5X4SBW90	Cat5e stp Patch cord 24 awg White 90 meter
5X4SBW99	Cat5e stp Patch cord 24 awg White 100 meter





MIDDLE EAST OFFICE

TMT Global Technology FZE



Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com



UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

