DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD BLUE COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMB00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD WHITE COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMW00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD BACK COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMK00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD GREEN COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMN00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD RED COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMR00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD



CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD GREY COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMG00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

DATA PATCH CORD SERIES

www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

CAT5E STP PATCH CORD SERIES

GENERAL SPECIFICATION

Descrip on	0.06CM -100 METER CAT5E STP PATCH CORD YELLOW COLOR
Conductor Resistance	≤5Ω – ≤20Ω
Insula on Resistance	≥10MΩ
Characteris c Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Opera ng Range	-25°C to +70°C
Model No	5X4SMY00-100

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

ORDER INOFRMATION

Blue Color	
5X4SMB00	Cat5e stp Patch cord 24 awg Blue 0.06 CM
5X4SMB00	Cat5e stp Patch cord 24 awg Blue 0.08 CM
5X4SMB00	Cat5e stp Patch cord 24 awg Blue 0.12 CM
5X4SMB00	Cat5e stp Patch cord 24 awg Blue 0.15 CM
5X4SMB01	Cat5e stp Patch cord 24 awg Blue 1 meter
5X4SMB02	Cat5e stp Patch cord 24 awg Blue 2 meter
5X4SMB03	Cat5e stp Patch cord 24 awg Blue 3 meter
5X4SMB04	Cat5e stp Patch cord 24 awg Blue 4 meter
5X4SMB05	Cat5e stp Patch cord 24 awg Blue 5 meter
5X4SMB06	Cat5e stp Patch cord 24 awg Blue 6 meter
5X4SMB08	Cat5e stp Patch cord 24 awg Blue 8 meter
5X4SMB10	Cat5e stp Patch cord 24 awg Blue 10 meter
5X4SMB12	Cat5e stp Patch cord 24 awg Blue 12 meter
5X4SMB15	Cat5e stp Patch cord 24 awg Blue 15 meter
5X4SMB20	Cat5e stp Patch cord 24 awg Blue 20 meter
5X4SMB25	Cat5e stp Patch cord 24 awg Blue 25 meter
5X4SMB30	Cat5e stp Patch cord 24 awg Blue 30 meter
5X4SMB40	Cat5e stp Patch cord 24 awg Blue 40 meter
5X4SMB50	Cat5e stp Patch cord 24 awg Blue 50 meter
5X4SMB60	Cat5e stp Patch cord 24 awg Blue 60 meter
5X4SMB70	Cat5e stp Patch cord 24 awg Blue 70 meter
5X4SMB80	Cat5e stp Patch cord 24 awg Blue 80 meter
5X4SMB90	Cat5e stp Patch cord 24 awg Blue 90 meter
5X4SMB99	Cat5e stp Patch cord 24 awg Blue 100 meter

Grey Color	
5X4SMG00	Cat5e stp Patch cord 24 awg Grey 0.06 CM
5X4SMG00	Cat5e stp Patch cord 24 awg Grey 0.08 CM
5X4SMG00	Cat5e stp Patch cord 24 awg Grey 0.12 CM
5X4SMG00	Cat5e stp Patch cord 24 awg Grey 0.15 CM
5X4SMG01	Cat5e stp Patch cord 24 awg Grey 1 meter
5X4SMG02	Cat5e stp Patch cord 24 awg Grey 2 meter
5X4SMG03	Cat5e stp Patch cord 24 awg Grey 3 meter
5X4SMG04	Cat5e stp Patch cord 24 awg Grey 4 meter
5X4SMG05	Cat5e stp Patch cord 24 awg Grey 5 meter
5X4SMG06	Cat5e stp Patch cord 24 awg Grey 6 meter
5X4SMG08	Cat5e stp Patch cord 24 awg Grey 8 meter
5X4SMG10	Cat5e stp Patch cord 24 awg Grey 10 meter
5X4SMG12	Cat5e stp Patch cord 24 awg Grey 12 meter
5X4SMG15	Cat5e stp Patch cord 24 awg Grey 15 meter
5X4SMG20	Cat5e stp Patch cord 24 awg Grey 20 meter
5X4SMG25	Cat5e stp Patch cord 24 awg Grey 25 meter
5X4SMG30	Cat5e stp Patch cord 24 awg Grey 30 meter
5X4SMG40	Cat5e stp Patch cord 24 awg Grey 40 meter
5X4SMG50	Cat5e stp Patch cord 24 awg Grey 50 meter
5X4SMG60	Cat5e stp Patch cord 24 awg Grey 60 meter
5X4SMG70	Cat5e stp Patch cord 24 awg Grey 70 meter
5X4SMG80	Cat5e stp Patch cord 24 awg Grey 80 meter
5X4SMG90	Cat5e stp Patch cord 24 awg Grey 90 meter
5X4SMG99	Cat5e stp Patch cord 24 awg Grey 100 meter

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

ORDER INOFRMATION

Black Color	
5X4SMK00	Cat5e stp Patch cord 24 awg Black 0.06 CM
5X4SMK00	Cat5e stp Patch cord 24 awg Black 0.08 CM
5X4SMK00	Cat5e stp Patch cord 24 awg Black 0.12 CM
5X4SMK00	Cat5e stp Patch cord 24 awg Black 0.15 CM
5X4SMK01	Cat5e stp Patch cord 24 awg Black 1 meter
5X4SMK02	Cat5e stp Patch cord 24 awg Black 2 meter
5X4SMK03	Cat5e stp Patch cord 24 awg Black 3 meter
5X4SMK04	Cat5e stp Patch cord 24 awg Black 4 meter
5X4SMK05	Cat5e stp Patch cord 24 awg Black 5 meter
5X4SMK06	Cat5e stp Patch cord 24 awg Black 6 meter
5X4SMK08	Cat5e stp Patch cord 24 awg Black 8 meter
5X4SMK10	Cat5e stp Patch cord 24 awg Black 10 meter
5X4SMK12	Cat5e stp Patch cord 24 awg Black 12 meter
5X4SMK15	Cat5e stp Patch cord 24 awg Black 15 meter
5X4SMK20	Cat5e stp Patch cord 24 awg Black 20 meter
5X4SMK25	Cat5e stp Patch cord 23 awg Black 25 meter
5X4SMK30	Cat5e stp Patch cord 24 awg Black 30 meter
5X4SMK40	Cat5e stp Patch cord 24 awg Black 40 meter
5X4SMK50	Cat5e stp Patch cord 24 awg Black 50 meter
5X4SMK60	Cat5e stp Patch cord 24 awg Black 60 meter
5X4SMK70	Cat5e stp Patch cord 24 awg Black 70 meter
5X4SMK80	Cat5e stp Patch cord 24 awg Black 80 meter
5X4SMK90	Cat5e stp Patch cord 24 awg Black 90 meter
5X4SMK99	Cat5e stp Patch cord 24 awg Black 100 meter

Green Color	
5X4SMN00	Cat5e stp Patch cord 24 awg Green 0.06 CM
5X4SMN00	Cat5e stp Patch cord 24 awg Green 0.08 CM
5X4SMN00	Cat5e stp Patch cord 24 awg Green 0.12 CM
5X4SMN00	Cat5e stp Patch cord 24 awg Green 0.15 CM
5X4SMN01	Cat5e stp Patch cord 24 awg Green 1 meter
5X4SMN02	Cat5e stp Patch cord 24 awg Green 2 meter
5X4SMN03	Cat5e stp Patch cord 24 awg Green 3 meter
5X4SMN04	Cat5e stp Patch cord 24 awg Green 4 meter
5X4SMN05	Cat5e stp Patch cord 24 awg Green 5 meter
5X4SMN06	Cat5e stp Patch cord 24 awg Green 6 meter
5X4SMN08	Cat5e stp Patch cord 24 awg Green 8 meter
5X4SMN10	Cat5e stp Patch cord 24 awg Green 10 meter
5X4SMN12	Cat5e stp Patch cord 24 awg Green 12 meter
5X4SMN15	Cat5e stp Patch cord 24 awg Green 15 meter
5X4SMN20	Cat5e stp Patch cord 24 awg Green 20 meter
5X4SMN25	Cat5e stp Patch cord 24 awg Green 25 meter
5X4SMN30	Cat5e stp Patch cord 24 awg Green 30 meter
5X4SMN40	Cat5e stp Patch cord 24 awg Green 40 meter
5X4SMN50	Cat5e stp Patch cord 24 awg Green 50 meter
5X4SMN60	Cat5e stp Patch cord 24 awg Green 60 meter
5X4SMN70	Cat5e stp Patch cord 24 awg Green 70 meter
5X4SMN80	Cat5e stp Patch cord 24 awg Green 80 meter
5X4SMN90	Cat5e stp Patch cord 24 awg Green 90 meter
5X4SMN99	Cat5e stp Patch cord 24 awg Green 100 meter

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

ORDER INOFRMATION

Red Color	
5X4SMR00	Cat5e stp Patch cord 24 awg Red 0.06 CM
5X4SMR00	Cat5e stp Patch cord 24 awg Red 0.08 CM
5X4SMR00	Cat5e stp Patch cord 24 awg Red 0.12 CM
5X4SMR00	Cat5e stp Patch cord 24 awg Red 0.15 CM
5X4SMR01	Cat5e stp Patch cord 24 awg Red 1 meter
5X4SMR02	Cat5e stp Patch cord 24 awg Red 2 meter
5X4SMR03	Cat5e stp Patch cord 24 awg Red 3 meter
5X4SMR04	Cat5e stp Patch cord 24 awg Red 4 meter
5X4SMR05	Cat5e stp Patch cord 24 awg Red 5 meter
5X4SMR06	Cat5e stp Patch cord 24 awg Red 6 meter
5X4SMR08	Cat5e stp Patch cord 24 awg Red 8 meter
5X4SMR10	Cat5e stp Patch cord 24 awg Red 10 meter
5X4SMR12	Cat5e stp Patch cord 24 awg Red 12 meter
5X4SMR15	Cat5e stp Patch cord 24 awg Red 15 meter
5X4SMR20	Cat5e stp Patch cord 24 awg Red 20 meter
5X4SMR25	Cat5e stp Patch cord 24 awg Red 25 meter
5X4SMR30	Cat5e stp Patch cord 24 awg Red 30 meter
5X4SMR40	Cat5e stp Patch cord 24 awg Red 40 meter
5X4SMR50	Cat5e stp Patch cord 24 awg Red 50 meter
5X4SMR60	Cat5e stp Patch cord 24 awg Red 60 meter
5X4SMR70	Cat5e stp Patch cord 24 awg Red 70 meter
5X4SMR80	Cat5e stp Patch cord 24 awg Red 80 meter
5X4SMR90	Cat5e stp Patch cord 24 awg Red 90 meter
5X4SMR99	Cat5e stp Patch cord 24 awg Red 100 meter

Yellow Color	
5X4SMY00	Cat5e stp Patch cord 24 awg Yellow 0.06 CM
5X4SMY00	Cat5e stp Patch cord 24 awg Yellow 0.08 CM
5X4SMY00	Cat5e stp Patch cord 24 awg Yellow 0.12 CM
5X4SMY00	Cat5e stp Patch cord 24 awg Yellow 0.15 CM
5X4SMY01	Cat5e stp Patch cord 24 awg Yellow 1 meter
5X4SMY02	Cat5e stp Patch cord 24 awg Yellow 2 meter
5X4SMY03	Cat5e stp Patch cord 24 awg Yellow 3 meter
5X4SMY04	Cat5e stp Patch cord 24 awg Yellow 4 meter
5X4SMY05	Cat5e stp Patch cord 24 awg Yellow 5 meter
5X4SMY06	Cat5e stp Patch cord 24 awg Yellow 6 meter
5X4SMY08	Cat5e stp Patch cord 24 awg Yellow 8 meter
5X4SMY10	Cat5e stp Patch cord 24 awg Yellow 10 meter
5X4SMY12	Cat5e stp Patch cord 24 awg Yellow 12 meter
5X4SMY15	Cat5e stp Patch cord 24 awg Yellow 15 meter
5X4SMY20	Cat5e stp Patch cord 24 awg Yellow 20 meter
5X4SMY25	Cat5e stp Patch cord 24 awg Yellow 25 meter
5X4SMY30	Cat5e stp Patch cord 24 awg Yellow 30 meter
5X4SMY40	Cat5e stp Patch cord 24 awg Yellow 40 meter
5X4SMY50	Cat5e stp Patch cord 24 awg Yellow 50 meter
5X4SMY60	Cat5e stp Patch cord 24 awg Yellow 60 meter
5X4SMY70	Cat5e stp Patch cord 24 awg Yellow 70 meter
5X4SMY80	Cat5e stp Patch cord 24 awg Yellow 80 meter
5X4SMY90	Cat5e stp Patch cord 24 awg Yellow 90 meter
5X4SMY99	Cat5e stp Patch cord 24 awg Yellow 100 meter

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

DATA PATCH CORD SERIES

TMT Global TECHNOLOGY LTD

ORDER INOFRMATION

White Color	
5X4SMW00	Cat5e stp Patch cord 24 awg White 0.06 CM
5X4SMW00	Cat5e stp Patch cord 24 awg White 0.08 CM
5X4SMW00	Cat5e stp Patch cord 24 awg White 0.12 CM
5X4SMW00	Cat5e stp Patch cord 24 awg White 0.15 CM
5X4SMW01	Cat5e stp Patch cord 24 awg White 1 meter
5X4SMW02	Cat5e stp Patch cord 24 awg White 2 meter
5X4SMW03	Cat5e stp Patch cord 24 awg White 3 meter
5X4SMW04	Cat5e stp Patch cord 24 awg White 4 meter
5X4SMW05	Cat5e stp Patch cord 24 awg White 5 meter
5X4SMW06	Cat5e stp Patch cord 24 awg White 6 meter
5X4SMW08	Cat5e stp Patch cord 24 awg White 8 meter
5X4SMW10	Cat5e stp Patch cord 24 awg White 10 meter
5X4SMW12	Cat5e stp Patch cord 24 awg White 12 meter
5X4SMW15	Cat5e stp Patch cord 24 awg White 15 meter
5X4SMW20	Cat5e stp Patch cord 24 awg White 20 meter
5X4SMW25	Cat5e stp Patch cord 24 awg White 25 meter
5X4SMW30	Cat5e stp Patch cord 24 awg White 30 meter
5X4SMW40	Cat5e stp Patch cord 24 awg White 40 meter
5X4SMW50	Cat5e stp Patch cord 24 awg White 50 meter
5X4SMW60	Cat5e stp Patch cord 24 awg White 60 meter
5X4SMW70	Cat5e stp Patch cord 24 awg White 70 meter
5X4SMW80	Cat5e stp Patch cord 24 awg White 80 meter
5X4SMW90	Cat5estp Patch cord 24 awg White 90 meter
5X4SMW99	Cat5e stp Patch cord 24 awg White 100 meter

www.tmtglobal.co.uk info@tmtglobal.co.uk
Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU, United Kingdom

MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport

info@tmtuae.com

www.tmtuae.com

TMT Global TECHNOLOGY LTD.

UK OFFICE

TMT Global Technology Ltd. (UK)

120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

info@tmtglobal.co.uk

www.tmtglobal.co.uk