


DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES




www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES




CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD BLUE COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMB00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES



www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD WHITE COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMW00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES



www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD BLACK COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMK00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES



www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD GREEN COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMN00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES




www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES




CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD RED COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMR00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES



www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD GREY COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMG00-100



DATA PATCH CORD
24AWG SERIES



DATA PATCH CORD SERIES




www.tmtglobal.co.uk info@tmtglobal.co.uk

Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,
United Kingdom



DATA PATCH CORD 24AWG SERIES



CAT5E UTP PATCH CORD SERIES

GENERAL SPECIFICATION

Description	0.06CM -100 METER CAT5E UTP PATCH CORD YELLOW COLOR
Conductor Resistance	$\leq 5\Omega - \leq 20\Omega$
Insulation Resistance	$\geq 10M\Omega$
Characteristic Impedance	100 — 6 Ohm @ 1-250MHz -1-500 MHz
Contact Resistance	20 m Ohm max.
Resistance unbalance	2% max
Dielectric strength	1000 volts/1 minute min rms
Cable to Plug Tensile Strength	9 Kgf (90N) min
Durability	1200
Temperature Operating Range	-25°C to +70°C
Model No	5X4PMY00-100



ORDER INFORMATION

Blue Color	
5X4PMB00	Cat5e utp Patch cord 24 awg Blue 0.06 CM
5X4PMB00	Cat5e utp Patch cord 24 awg Blue 0.08 CM
5X4PMB00	Cat5e utp Patch cord 24 awg Blue 0.12 CM
5X4PMB00	Cat5e utp Patch cord 24 awg Blue 0.15 CM
5X4PMB00	Cat5e utp Patch cord 24 awg Blue 0.50 CM
5X4PMB01	Cat5e utp Patch cord 24 awg Blue 1 meter
5X4PMB02	Cat5e utp Patch cord 24 awg Blue 2 meter
5X4PMB03	Cat5e utp Patch cord 24 awg Blue 3 meter
5X4PMB04	Cat5e utp Patch cord 24 awg Blue 4 meter
5X4PMB05	Cat5e utp Patch cord 24 awg Blue 5 meter
5X4PMB06	Cat5e utp Patch cord 24 awg Blue 6 meter
5X4PMB08	Cat5e utp Patch cord 24 awg Blue 8 meter
5X4PMB10	Cat5e utp Patch cord 24 awg Blue 10 meter
5X4PMB12	Cat5e utp Patch cord 24 awg Blue 12 meter
5X4PMB15	Cat5e utp Patch cord 24 awg Blue 15 meter
5X4PMB20	Cat5e utp Patch cord 24 awg Blue 20 meter
5X4PMB25	Cat5e utp Patch cord 24 awg Blue 25 meter
5X4PMB30	Cat5e utp Patch cord 24 awg Blue 30 meter
5X4PMB40	Cat5e utp Patch cord 24 awg Blue 40 meter
5X4PMB50	Cat5e utp Patch cord 24 awg Blue 50 meter
5X4PMB60	Cat5e utp Patch cord 24 awg Blue 60 meter
5X4PMB70	Cat5e utp Patch cord 24 awg Blue 70 meter
5X4PMB80	Cat5e utp Patch cord 24 awg Blue 80 meter
5X4PMB90	Cat5e utp Patch cord 24 awg Blue 90 meter

Grey Color	
5X4PMG00	Cat5e utp Patch cord 24 awg Grey 0.06 CM
5X4PMG00	Cat5e utp Patch cord 24 awg Grey 0.08 CM
5X4PMG00	Cat5e utp Patch cord 24 awg Grey 0.12 CM
5X4PMG00	Cat5e utp Patch cord 24 awg Grey 0.15 CM
5X4PMG00	Cat5e utp Patch cord 24 awg Grey 0.50 CM
5X4PMG01	Cat5e utp Patch cord 24 awg Grey 1 meter
5X4PMG02	Cat5e utp Patch cord 24 awg Grey 2 meter
5X4PMG03	Cat5e utp Patch cord 24 awg Grey 3 meter
5X4PMG04	Cat5e utp Patch cord 24 awg Grey 4 meter
5X4PMG05	Cat5e utp Patch cord 24 awg Grey 5 meter
5X4PMG06	Cat5e utp Patch cord 24 awg Grey 6 meter
5X4PMG08	Cat5e utp Patch cord 24 awg Grey 8 meter
5X4PMG10	Cat5e utp Patch cord 24 awg Grey 10 meter
5X4PMG12	Cat5e utp Patch cord 24 awg Grey 12 meter
5X4PMG15	Cat5e utp Patch cord 24 awg Grey 15 meter
5X4PMG20	Cat5e utp Patch cord 24 awg Grey 20 meter
5X4PMG25	Cat5e utp Patch cord 24 awg Grey 25 meter
5X4PMG30	Cat5e utp Patch cord 24 awg Grey 30 meter
5X4PMG40	Cat5e utp Patch cord 24 awg Grey 40 meter
5X4PMG50	Cat5e utp Patch cord 24 awg Grey 50 meter
5X4PMG60	Cat5e utp Patch cord 24 awg Grey 60 meter
5X4PMG70	Cat5e utp Patch cord 24 awg Grey 70 meter
5X4PMG80	Cat5e utp Patch cord 24 awg Grey 80 meter
5X4PMG90	Cat5e utp Patch cord 24 awg Grey 90 meter

ORDER INFORMATION

Black Color	
5X4PMK00	Cat5e utp Patch cord 24 awg Black 0.06 CM
5X4PMK00	Cat5e utp Patch cord 24 awg Black 0.08 CM
5X4PMK00	Cat5e utp Patch cord 24 awg Black 0.12 CM
5X4PMK00	Cat5e utp Patch cord 24 awg Black 0.15 CM
5X4PMK00	Cat5e utp Patch cord 24 awg Black 0.50 CM
5X4PMK01	Cat5e utp Patch cord 24 awg Black 1 meter
5X4PMK02	Cat5e utp Patch cord 24 awg Black 2 meter
5X4PMK03	Cat5e utp Patch cord 24 awg Black 3 meter
5X4PMK04	Cat5e utp Patch cord 24 awg Black 4 meter
5X4PMK05	Cat5e utp Patch cord 24 awg Black 5 meter
5X4PMK06	Cat5e utp Patch cord 24 awg Black 6 meter
5X4PMK08	Cat5e utp Patch cord 24 awg Black 8 meter
5X4PMK10	Cat5e utp Patch cord 24 awg Black 10 meter
5X4PMK12	Cat5e utp Patch cord 24 awg Black 12 meter
5X4PMK15	Cat5e utp Patch cord 24 awg Black 15 meter
5X4PMK20	Cat5e utp Patch cord 24 awg Black 20 meter
5X4PMK25	Cat5e utp Patch cord 24 awg Black 25 meter
5X4PMK30	Cat5e utp Patch cord 24 awg Black 30 meter
5X4PMK40	Cat5e utp Patch cord 24 awg Black 40 meter
5X4PMK50	Cat5e utp Patch cord 24 awg Black 50 meter
5X4PMK60	Cat5e utp Patch cord 24 awg Black 60 meter
5X4PMK70	Cat5e utp Patch cord 24 awg Black 70 meter
5X4PMK80	Cat5e utp Patch cord 24 awg Black 80 meter
5X4PMK90	Cat5e utp Patch cord 24 awg Black 90 meter

Green Color	
5X4PMN00	Cat5e utp Patch cord 24 awg Green 0.06 CM
5X4PMN00	Cat5e utp Patch cord 24 awg Green 0.08 CM
5X4PMN00	Cat5e utp Patch cord 24 awg Green 0.12 CM
5X4PMN00	Cat5e utp Patch cord 24 awg Green 0.15 CM
5X4PMN00	Cat5e utp Patch cord 24 awg Green 0.50 CM
5X4PMN01	Cat5e utp Patch cord 24 awg Green 1 meter
5X4PMN02	Cat5e utp Patch cord 24 awg Green 2 meter
5X4PMN03	Cat5e utp Patch cord 24 awg Green 3 meter
5X4PMN04	Cat5e utp Patch cord 24 awg Green 4 meter
5X4PMN05	Cat5e utp Patch cord 24 awg Green 5 meter
5X4PMN06	Cat5e utp Patch cord 24 awg Green 6 meter
5X4PMN08	Cat5e utp Patch cord 24 awg Green 8 meter
5X4PMN10	Cat5e utp Patch cord 24 awg Green 10 meter
5X4PMN12	Cat5e utp Patch cord 24 awg Green 12 meter
5X4PMN15	Cat5e utp Patch cord 24 awg Green 15 meter
5X4PMN20	Cat5e utp Patch cord 24 awg Green 20 meter
5X4PMN25	Cat5e utp Patch cord 24 awg Green 25 meter
5X4PMN30	Cat5e utp Patch cord 24 awg Green 30 meter
5X4PMN40	Cat5e utp Patch cord 24 awg Green 40 meter
5X4PMN50	Cat5e utp Patch cord 24 awg Green 50 meter
5X4PMN60	Cat5e utp Patch cord 24 awg Green 60 meter
5X4PMN70	Cat5e utp Patch cord 24 awg Green 70 meter
5X4PMN80	Cat5e utp Patch cord 24 awg Green 80 meter
5X4PMN90	Cat5e utp Patch cord 24 awg Green 90 meter

ORDER INFORMATION

Red Color	
5X4PMR00	Cat5e utp Patch cord 24 awg Red 0.06 CM
5X4PMR00	Cat5e utp Patch cord 24 awg Red 0.08 CM
5X4PMR00	Cat5e utp Patch cord 24 awg Red 0.12 CM
5X4PMR00	Cat5e utp Patch cord 24 awg Red 0.15 CM
5X4PMR00	Cat5e utp Patch cord 24 awg Red 0.50 CM
5X4PMR01	Cat5e utp Patch cord 24 awg Red 1 meter
5X4PMR02	Cat5e utp Patch cord 24 awg Red 2 meter
5X4PMR03	Cat5e utp Patch cord 24 awg Red 3 meter
5X4PMR04	Cat5e utp Patch cord 24 awg Red 4 meter
5X4PMR05	Cat5e utp Patch cord 24 awg Red 5 meter
5X4PMR06	Cat5e utp Patch cord 24 awg Red 6 meter
5X4PMR08	Cat5e utp Patch cord 24 awg Red 8 meter
5X4PMR10	Cat5e utp Patch cord 24 awg Red 10 meter
5X4PMR12	Cat5e utp Patch cord 24 awg Red 12 meter
5X4PMR15	Cat5e utp Patch cord 24 awg Red 15 meter
5X4PMR20	Cat5e utp Patch cord 24 awg Red 20 meter
5X4PMR25	Cat5e utp Patch cord 24 awg Red 25 meter
5X4PMR30	Cat5e utp Patch cord 24 awg Red 30 meter
5X4PMR40	Cat5e utp Patch cord 24 awg Red 40 meter
5X4PMR50	Cat5e utp Patch cord 24 awg Red 50 meter
5X4PMR60	Cat5e utp Patch cord 24 awg Red 60 meter
5X4PMR70	Cat5e utp Patch cord 24 awg Red 70 meter
5X4PMR80	Cat5e utp Patch cord 24 awg Red 80 meter
5X4PMR90	Cat5e utp Patch cord 24 awg Red 90 meter

Yellow Color	
5X4PMY00	Cat5e utp Patch cord 24 awg Yellow 0.06 CM
5X4PMY00	Cat5e utp Patch cord 24 awg Yellow 0.08 CM
5X4PMY00	Cat5e utp Patch cord 24 awg Yellow 0.12 CM
5X4PMY00	Cat5e utp Patch cord 24 awg Yellow 0.15 CM
5X4PMY00	Cat5e utp Patch cord 24 awg Yellow 0.50 CM
5X4PMY01	Cat5e utp Patch cord 24 awg Yellow 1 meter
5X4PMY02	Cat5e utp Patch cord 24 awg Yellow 2 meter
5X4PMY03	Cat5e utp Patch cord 24 awg Yellow 3 meter
5X4PMY04	Cat5e utp Patch cord 24 awg Yellow 4 meter
5X4PMY05	Cat5e utp Patch cord 24 awg Yellow 5 meter
5X4PMY06	Cat5e utp Patch cord 24 awg Yellow 6 meter
5X4PMY08	Cat5e utp Patch cord 24 awg Yellow 8 meter
5X4PMY10	Cat5e utp Patch cord 24 awg Yellow 10 meter
5X4PMY12	Cat5e utp Patch cord 24 awg Yellow 12 meter
5X4PMY15	Cat5e utp Patch cord 24 awg Yellow 15 meter
5X4PMY20	Cat5e utp Patch cord 24 awg Yellow 20 meter
5X4PMY25	Cat5e utp Patch cord 24 awg Yellow 25 meter
5X4PMY30	Cat5e utp Patch cord 24 awg Yellow 30 meter
5X4PMY40	Cat5e utp Patch cord 24 awg Yellow 40 meter
5X4PMY50	Cat5e utp Patch cord 24 awg Yellow 50 meter
5X4PMY60	Cat5e utp Patch cord 24 awg Yellow 60 meter
5X4PMY70	Cat5e utp Patch cord 24 awg Yellow 70 meter
5X4PMY80	Cat5e utp Patch cord 24 awg Yellow 80 meter
5X4PMY90	Cat5e utp Patch cord 24 awg Yellow 90 meter

ORDER INFORMATION

White Color	
5X4PMW00	Cat5e utp Patch cord 24 awg White 0.06 CM
5X4PMW00	Cat5e utp Patch cord 24 awg White 0.08 CM
5X4PMW00	Cat5e utp Patch cord 24 awg White 0.12 CM
5X4PMW00	Cat5e utp Patch cord 24 awg White 0.15 CM
5X4PMW00	Cat5e utp Patch cord 24 awg White 0.50 CM
5X4PMW01	Cat5e utp Patch cord 24 awg White 1 meter
5X4PMW02	Cat5e utp Patch cord 24 awg White 2 meter
5X4PMW03	Cat5e utp Patch cord 24 awg White 3 meter
5X4PMW04	Cat5e utp Patch cord 24 awg White 4 meter
5X4PMW05	Cat5e utp Patch cord 24 awg White 5 meter
5X4PMW06	Cat5e utp Patch cord 24 awg White 6 meter
5X4PMW08	Cat5e utp Patch cord 24 awg White 8 meter
5X4PMW10	Cat5e utp Patch cord 24 awg White 10 meter
5X4PMW12	Cat5e utp Patch cord 24 awg White 12 meter
5X4PMW15	Cat5e utp Patch cord 24 awg White 15 meter
5X4PMW20	Cat5e utp Patch cord 24 awg White 20 meter
5X4PMW25	Cat5e utp Patch cord 24 awg White 25 meter
5X4PMW30	Cat5e utp Patch cord 24 awg White 30 meter
5X4PMW40	Cat5e utp Patch cord 24 awg White 40 meter
5X4PMW50	Cat5e utp Patch cord 24 awg White 50 meter
5X4PMW60	Cat5e utp Patch cord 24 awg White 60 meter
5X4PMW70	Cat5e utp Patch cord 24 awg White 70 meter
5X4PMW80	Cat5e utp Patch cord 24 awg White 80 meter
5X4PMW90	Cat5e utp Patch cord 24 awg White 90 meter



MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com



UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

