

DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES



🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom



# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD BLUE COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                   |
| Insulation Resistance          | $\geq 10M\Omega$                                 |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz                |
| Contact Resistance             | 20 m Ohm max.                                    |
| Resistance unbalance           | 2% max                                           |
| Dielectric strength            | 1000 volts/1 minute min rms                      |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                  |
| Durability                     | 1200                                             |
| Temperature Operating Range    | -25°C to +70°C                                   |
| Model No                       | 6X3SMB00-100                                     |



DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES



🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom





# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                   |
|--------------------------------|---------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD WHITE COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                    |
| Insulation Resistance          | $\geq 10M\Omega$                                  |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz                 |
| Contact Resistance             | 20 m Ohm max.                                     |
| Resistance unbalance           | 2% max                                            |
| Dielectric strength            | 1000 volts/1 minute min rms                       |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                   |
| Durability                     | 1200                                              |
| Temperature Operating Range    | -25°C to +70°C                                    |
| Model No                       | 6X3SMW00-100                                      |



DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES



🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom



# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD BACK COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                   |
| Insulation Resistance          | $\geq 10M\Omega$                                 |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz                |
| Contact Resistance             | 20 m Ohm max.                                    |
| Resistance unbalance           | 2% max                                           |
| Dielectric strength            | 1000 volts/1 minute min rms                      |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                  |
| Durability                     | 1200                                             |
| Temperature Operating Range    | -25°C to +70°C                                   |
| Model No                       | 6X3SMK00-100                                     |





DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES




🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom



# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                   |
|--------------------------------|---------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD GREEN COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                    |
| Insulation Resistance          | $\geq 10M\Omega$                                  |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz                 |
| Contact Resistance             | 20 m Ohm max.                                     |
| Resistance unbalance           | 2% max                                            |
| Dielectric strength            | 1000 volts/1 minute min rms                       |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                   |
| Durability                     | 1200                                              |
| Temperature Operating Range    | -25°C to +70°C                                    |
| Model No                       | 6X3SMN00-100                                      |





DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES



🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom



# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                 |
|--------------------------------|-------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD RED COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                  |
| Insulation Resistance          | $\geq 10M\Omega$                                |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz               |
| Contact Resistance             | 20 m Ohm max.                                   |
| Resistance unbalance           | 2% max                                          |
| Dielectric strength            | 1000 volts/1 minute min rms                     |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                 |
| Durability                     | 1200                                            |
| Temperature Operating Range    | -25°C to +70°C                                  |
| Model No                       | 6X3SMR00-100                                    |



DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES



🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom





# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                  |
|--------------------------------|--------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD GREY COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                   |
| Insulation Resistance          | $\geq 10M\Omega$                                 |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz                |
| Contact Resistance             | 20 m Ohm max.                                    |
| Resistance unbalance           | 2% max                                           |
| Dielectric strength            | 1000 volts/1 minute min rms                      |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                  |
| Durability                     | 1200                                             |
| Temperature Operating Range    | -25°C to +70°C                                   |
| Model No                       | 6X3SMG00-100                                     |



DATA PATCH CORD  
23AWG SERIES



# DATA PATCH CORD SERIES



🌐 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)    ✉ [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

📍 Head Office 120 Baker Street, 3rd Floor, London, England, W1U 6tU,  
United Kingdom



# DATA PATCH CORD 23AWG SERIES



## CAT6 STP PATCH CORD SERIES

### GENERAL SPECIFICATION

|                                |                                                    |
|--------------------------------|----------------------------------------------------|
| Description                    | 0.06CM -100 METER CAT6 STP PATCH CORD YELLOW COLOR |
| Conductor Resistance           | $\leq 5\Omega - \leq 20\Omega$                     |
| Insulation Resistance          | $\geq 10M\Omega$                                   |
| Characteristic Impedance       | 100 — 6 Ohm @ 1-250MHz -1-500 MHz                  |
| Contact Resistance             | 20 m Ohm max.                                      |
| Resistance unbalance           | 2% max                                             |
| Dielectric strength            | 1000 volts/1 minute min rms                        |
| Cable to Plug Tensile Strength | 9 Kgf (90N) min                                    |
| Durability                     | 1200                                               |
| Temperature Operating Range    | -25°C to +70°C                                     |
| Model No                       | 6X3SMY00-100                                       |





# DATA PATCH CORD 23AWG SERIES



## ORDER INFORMATION

| Blue Color |                                           |
|------------|-------------------------------------------|
| 6X3SMB00   | Cat6 stp Patch cord 23 awg Blue 0.06 CM   |
| 6X3SMB00   | Cat6 stp Patch cord 23 awg Blue 0.08 CM   |
| 6X3SMB00   | Cat6 stp Patch cord 23 awg Blue 0.12 CM   |
| 6X3SMB00   | Cat6 stp Patch cord 23 awg Blue 0.15 CM   |
| 6X3SMB01   | Cat6 stp Patch cord 23 awg Blue 1 meter   |
| 6X3SMB02   | Cat6 stp Patch cord 23 awg Blue 2 meter   |
| 6X3SMB03   | Cat6 stp Patch cord 23 awg Blue 3 meter   |
| 6X3SMB04   | Cat6 stp Patch cord 23 awg Blue 4 meter   |
| 6X3SMB05   | Cat6 stp Patch cord 23 awg Blue 5 meter   |
| 6X3SMB06   | Cat6 stp Patch cord 23 awg Blue 6 meter   |
| 6X3SMB08   | Cat6 stp Patch cord 23 awg Blue 8 meter   |
| 6X3SMB10   | Cat6 stp Patch cord 23 awg Blue 10 meter  |
| 6X3SMB12   | Cat6 stp Patch cord 23 awg Blue 12 meter  |
| 6X3SMB15   | Cat6 stp Patch cord 23 awg Blue 15 meter  |
| 6X3SMB20   | Cat6 stp Patch cord 23 awg Blue 20 meter  |
| 6X3SMB25   | Cat6 stp Patch cord 23 awg Blue 25 meter  |
| 6X3SMB30   | Cat6 stp Patch cord 23 awg Blue 30 meter  |
| 6X3SMB40   | Cat6 stp Patch cord 23 awg Blue 40 meter  |
| 6X3SMB50   | Cat6 stp Patch cord 23 awg Blue 50 meter  |
| 6X3SMB60   | Cat6 stp Patch cord 23 awg Blue 60 meter  |
| 6X3SMB70   | Cat6 stp Patch cord 23 awg Blue 70 meter  |
| 6X3SMB80   | Cat6 stp Patch cord 23 awg Blue 80 meter  |
| 6X3SMB90   | Cat6 stp Patch cord 23 awg Blue 90 meter  |
| 6X3SMB99   | Cat6 stp Patch cord 23 awg Blue 100 meter |

| Grey Color |                                           |
|------------|-------------------------------------------|
| 6X3SMG00   | Cat6 stp Patch cord 23 awg Grey 0.06 CM   |
| 6X3SMG00   | Cat6 stp Patch cord 23 awg Grey 0.08 CM   |
| 6X3SMG00   | Cat6 stp Patch cord 23 awg Grey 0.12 CM   |
| 6X3SMG00   | Cat6 stp Patch cord 23 awg Grey 0.15 CM   |
| 6X3SMG01   | Cat6 stp Patch cord 23 awg Grey 1 meter   |
| 6X3SMG02   | Cat6 stp Patch cord 23 awg Grey 2 meter   |
| 6X3SMG03   | Cat6 stp Patch cord 23 awg Grey 3 meter   |
| 6X3SMG04   | Cat6 stp Patch cord 23 awg Grey 4 meter   |
| 6X3SMG05   | Cat6 stp Patch cord 23 awg Grey 5 meter   |
| 6X3SMG06   | Cat6 stp Patch cord 23 awg Grey 6 meter   |
| 6X3SMG08   | Cat6 stp Patch cord 23 awg Grey 8 meter   |
| 6X3SMG10   | Cat6 stp Patch cord 23 awg Grey 10 meter  |
| 6X3SMG12   | Cat6 stp Patch cord 23 awg Grey 12 meter  |
| 6X3SMG15   | Cat6 stp Patch cord 23 awg Grey 15 meter  |
| 6X3SMG20   | Cat6 stp Patch cord 23 awg Grey 20 meter  |
| 6X3SMG25   | Cat6 stp Patch cord 23 awg Grey 25 meter  |
| 6X3SMG30   | Cat6 stp Patch cord 23 awg Grey 30 meter  |
| 6X3SMG40   | Cat6 stp Patch cord 23 awg Grey 40 meter  |
| 6X3SMG50   | Cat6 stp Patch cord 23 awg Grey 50 meter  |
| 6X3SMG60   | Cat6 stp Patch cord 23 awg Grey 60 meter  |
| 6X3SMG70   | Cat6 stp Patch cord 23 awg Grey 70 meter  |
| 6X3SMG80   | Cat6 stp Patch cord 23 awg Grey 80 meter  |
| 6X3SMG90   | Cat6 stp Patch cord 23 awg Grey 90 meter  |
| 6X3SMG99   | Cat6 stp Patch cord 23 awg Grey 100 meter |



# DATA PATCH CORD 23AWG SERIES



## ORDER INFORMATION

| Black Color |                                            |
|-------------|--------------------------------------------|
| 6X3SMK00    | Cat6 stp Patch cord 23 awg Black 0.06 CM   |
| 6X3SMK00    | Cat6 stp Patch cord 23 awg Black 0.08 CM   |
| 6X3SMK00    | Cat6 stp Patch cord 23 awg Black 0.12 CM   |
| 6X3SMK00    | Cat6 stp Patch cord 23 awg Black 0.15 CM   |
| 6X3SMK01    | Cat6 stp Patch cord 23 awg Black 1 meter   |
| 6X3SMK02    | Cat6 stp Patch cord 23 awg Black 2 meter   |
| 6X3SMK03    | Cat6 stp Patch cord 23 awg Black 3 meter   |
| 6X3SMK04    | Cat6 stp Patch cord 23 awg Black 4 meter   |
| 6A3SMK05    | Cat6 stp Patch cord 23 awg Black 5 meter   |
| 6X3SMK06    | Cat6 stp Patch cord 23 awg Black 6 meter   |
| 6X3SMK08    | Cat6 stp Patch cord 23 awg Black 8 meter   |
| 6X3SMK10    | Cat6 stp Patch cord 23 awg Black 10 meter  |
| 6X3SMK12    | Cat6 stp Patch cord 23 awg Black 12 meter  |
| 6X3SMK15    | Cat6 stp Patch cord 23 awg Black 15 meter  |
| 6X3SMK20    | Cat6 stp Patch cord 23 awg Black 20 meter  |
| 6X3SMK25    | Cat6 stp Patch cord 23 awg Black 25 meter  |
| 6X3SMK30    | Cat6 stp Patch cord 23 awg Black 30 meter  |
| 6X3SMK40    | Cat6 stp Patch cord 23 awg Black 40 meter  |
| 6X3SMK50    | Cat6 stp Patch cord 23 awg Black 50 meter  |
| 6X3SMK60    | Cat6 stp Patch cord 23 awg Black 60 meter  |
| 6X3SMK70    | Cat6 stp Patch cord 23 awg Black 70 meter  |
| 6X3SMK80    | Cat6 stp Patch cord 23 awg Black 80 meter  |
| 6X3SMK90    | Cat6 stp Patch cord 23 awg Black 90 meter  |
| 6X3SMK99    | Cat6 stp Patch cord 23 awg Black 100 meter |

| Green Color |                                            |
|-------------|--------------------------------------------|
| 6X3SMN00    | Cat6 stp Patch cord 23 awg Green 0.06 CM   |
| 6X3SMN00    | Cat6 stp Patch cord 23 awg Green 0.08 CM   |
| 6X3SMN00    | Cat6 stp Patch cord 23 awg Green 0.12 CM   |
| 6X3SMN00    | Cat6 stp Patch cord 23 awg Green 0.15 CM   |
| 6X3SMN01    | Cat6 stp Patch cord 23 awg Green 1 meter   |
| 6X3SMN02    | Cat6 stp Patch cord 23 awg Green 2 meter   |
| 6X3SMN03    | Cat6 stp Patch cord 23 awg Green 3 meter   |
| 6X3SMN04    | Cat6 stp Patch cord 23 awg Green 4 meter   |
| 6X3SMN05    | Cat6 stp Patch cord 23 awg Green 5 meter   |
| 6X3SMN06    | Cat6 stp Patch cord 23 awg Green 6 meter   |
| 6X3SMN08    | Cat6 stp Patch cord 23 awg Green 8 meter   |
| 6X3SMN10    | Cat6 stp Patch cord 23 awg Green 10 meter  |
| 6X3SMN12    | Cat6 stp Patch cord 23 awg Green 12 meter  |
| 6X3SMN15    | Cat6 stp Patch cord 23 awg Green 15 meter  |
| 6X3SMN20    | Cat6 stp Patch cord 23 awg Green 20 meter  |
| 6X3SMN25    | Cat6 stp Patch cord 23 awg Green 25 meter  |
| 6X3SMN30    | Cat6 stp Patch cord 23 awg Green 30 meter  |
| 6X3SMN40    | Cat6 stp Patch cord 23 awg Green 40 meter  |
| 6X3SMN50    | Cat6 stp Patch cord 23 awg Green 50 meter  |
| 6X3SMN60    | Cat6 stp Patch cord 23 awg Green 60 meter  |
| 6X3SMN70    | Cat6 stp Patch cord 23 awg Green 70 meter  |
| 6X3SMN80    | Cat6 stp Patch cord 23 awg Green 80 meter  |
| 6X3SMN90    | Cat6 stp Patch cord 23 awg Green 90 meter  |
| 6X3SMN99    | Cat6 stp Patch cord 23 awg Green 100 meter |



# DATA PATCH CORD 23AWG SERIES



## ORDER INFORMATION

| Red Color |                                          |
|-----------|------------------------------------------|
| 6X3SMR00  | Cat6 stp Patch cord 23 awg Red 0.06 CM   |
| 6X3SMR00  | Cat6 stp Patch cord 23 awg Red 0.08 CM   |
| 6X3SMR00  | Cat6 stp Patch cord 23 awg Red 0.12 CM   |
| 6X3SMR00  | Cat6 stp Patch cord 23 awg Red 0.15 CM   |
| 6X3SMR01  | Cat6 stp Patch cord 23 awg Red 1 meter   |
| 6X3SMR02  | Cat6 stp Patch cord 23 awg Red 2 meter   |
| 6X3SMR03  | Cat6 stp Patch cord 23 awg Red 3 meter   |
| 6X3SMR04  | Cat6 stp Patch cord 23 awg Red 4 meter   |
| 6X3SMR05  | Cat6 stp Patch cord 23 awg Red 5 meter   |
| 6X3SMR06  | Cat6 stp Patch cord 23 awg Red 6 meter   |
| 6X3SMR08  | Cat6 stp Patch cord 23 awg Red 8 meter   |
| 6X3SMR10  | Cat6 stp Patch cord 23 awg Red 10 meter  |
| 6X3SMR12  | Cat6 stp Patch cord 23 awg Red 12 meter  |
| 6X3SMR15  | Cat6 stp Patch cord 23 awg Red 15 meter  |
| 6X3SMR20  | Cat6 stp Patch cord 23 awg Red 20 meter  |
| 6X3SMR25  | Cat6 stp Patch cord 23 awg Red 25 meter  |
| 6X3SMR30  | Cat6 stp Patch cord 23 awg Red 30 meter  |
| 6X3SMR40  | Cat6 stp Patch cord 23 awg Red 40 meter  |
| 6X3SMR50  | Cat6 stp Patch cord 23 awg Red 50 meter  |
| 6X3SMR60  | Cat6 stp Patch cord 23 awg Red 60 meter  |
| 6X3SMR70  | Cat6 stp Patch cord 23 awg Red 70 meter  |
| 6X3SMR80  | Cat6 stp Patch cord 23 awg Red 80 meter  |
| 6X3SMR90  | Cat6 stp Patch cord 23 awg Red 90 meter  |
| 6X3SMR99  | Cat6 stp Patch cord 23 awg Red 100 meter |

| Yellow Color |                                             |
|--------------|---------------------------------------------|
| 6X3SMY00     | Cat6 stp Patch cord 23 awg Yellow 0.06 CM   |
| 6X3SMY00     | Cat6 stp Patch cord 23 awg Yellow 0.08 CM   |
| 6X3SMY00     | Cat6 stp Patch cord 23 awg Yellow 0.12 CM   |
| 6X3SMY00     | Cat6 stp Patch cord 23 awg Yellow 0.15 CM   |
| 6X3SMY01     | Cat6 stp Patch cord 23 awg Yellow 1 meter   |
| 6X3SMY02     | Cat6 stp Patch cord 23 awg Yellow 2 meter   |
| 6X3SMY03     | Cat6 stp Patch cord 23 awg Yellow 3 meter   |
| 6X3SMY04     | Cat6 stp Patch cord 23 awg Yellow 4 meter   |
| 6X3SMY05     | Cat6 stp Patch cord 23 awg Yellow 5 meter   |
| 6X3SMY06     | Cat6 stp Patch cord 23 awg Yellow 6 meter   |
| 6X3SMY08     | Cat6 stp Patch cord 23 awg Yellow 8 meter   |
| 6X3SMY10     | Cat6 stp Patch cord 23 awg Yellow 10 meter  |
| 6X3SMY12     | Cat6 stp Patch cord 23 awg Yellow 12 meter  |
| 6X3SMY15     | Cat6 stp Patch cord 23 awg Yellow 15 meter  |
| 6X3SMY20     | Cat6 stp Patch cord 23 awg Yellow 20 meter  |
| 6X3SMY25     | Cat6 stp Patch cord 23 awg Yellow 25 meter  |
| 6X3SMY30     | Cat6 stp Patch cord 23 awg Yellow 30 meter  |
| 6X3SMY40     | Cat6 stp Patch cord 23 awg Yellow 40 meter  |
| 6X3SMY50     | Cat6 stp Patch cord 23 awg Yellow 50 meter  |
| 6X3SMY60     | Cat6 stp Patch cord 23 awg Yellow 60 meter  |
| 6X3SMY70     | Cat6 stp Patch cord 23 awg Yellow 70 meter  |
| 6X3SMY80     | Cat6 stp Patch cord 23 awg Yellow 80 meter  |
| 6X3SMY90     | Cat6 stp Patch cord 23 awg Yellow 90 meter  |
| 6X3SMY99     | Cat6 stp Patch cord 23 awg Yellow 100 meter |





# DATA PATCH CORD 23AWG SERIES



## ORDER INFORMATION

| White Color |                                            |
|-------------|--------------------------------------------|
| 6X3SMW00    | Cat6 stp Patch cord 23 awg White 0.06 CM   |
| 6X3SMW00    | Cat6 stp Patch cord 23 awg White 0.08 CM   |
| 6X3SMW00    | Cat6 stp Patch cord 23 awg White 0.12 CM   |
| 6X3SMW00    | Cat6 stp Patch cord 23 awg White 0.15 CM   |
| 6X3SMW01    | Cat6 stp Patch cord 23 awg White 1 meter   |
| 6X3SMW02    | Cat6 stp Patch cord 23 awg White 2 meter   |
| 6X3SMW03    | Cat6 stp Patch cord 23 awg White 3 meter   |
| 6X3SMW04    | Cat6 stp Patch cord 23 awg White 4 meter   |
| 6X3SMW05    | Cat6 stp Patch cord 23 awg White 5 meter   |
| 6X3SMW06    | Cat6 stp Patch cord 23 awg White 6 meter   |
| 6X3SMW08    | Cat6 stp Patch cord 23 awg White 8 meter   |
| 6X3SMW10    | Cat6 stp Patch cord 23 awg White 10 meter  |
| 6X3SMW12    | Cat6 stp Patch cord 23 awg White 12 meter  |
| 6X3SMW15    | Cat6 stp Patch cord 23 awg White 15 meter  |
| 6X3SMW20    | Cat6 stp Patch cord 23 awg White 20 meter  |
| 6X3SMW25    | Cat6 stp Patch cord 23 awg White 25 meter  |
| 6X3SMW30    | Cat6 stp Patch cord 23 awg White 30 meter  |
| 6X3SMW40    | Cat6 stp Patch cord 23 awg White 40 meter  |
| 6X3SMW50    | Cat6 stp Patch cord 23 awg White 50 meter  |
| 6X3SMW60    | Cat6 stp Patch cord 23 awg White 60 meter  |
| 6X3SMW70    | Cat6 stp Patch cord 23 awg White 70 meter  |
| 6X3SMW80    | Cat6 stp Patch cord 23 awg White 80 meter  |
| 6X3SMW90    | Cat6 stp Patch cord 23 awg White 90 meter  |
| 6X3SMW99    | Cat6 stp Patch cord 23 awg White 100 meter |





## MIDDLE EAST OFFICE

**TMT Global Technology FZE**



Saif-zone Sharjah Airport



[info@tmtuae.com](mailto:info@tmtuae.com)



[www.tmtuae.com](http://www.tmtuae.com)



## UK OFFICE

**TMT Global Technology Ltd. (UK)**

 120 Baker Street, 3rd Floor  
London, England, W1U 6TU,  
United Kingdom

 [info@tmtglobal.co.uk](mailto:info@tmtglobal.co.uk)

 [www.tmtglobal.co.uk](http://www.tmtglobal.co.uk)

