TMT Global
TECHNOLOGY LTD

PRODUCTS
# CATALOGUE

2 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBL 2 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40⁰C to +80⁰C
Shielded: NL
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CPURG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

2 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBL 2 CORE 10-24 AWG OVER ALL FOIL SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

2 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 2 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

2 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBL 2 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

2 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
OUTER JACKET
ALUMINUM FOIL

TMT GLOBL 2 CORE 10-24 AWG OVER ALL FOIL SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CLSRG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

2 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 2 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

2 CORE 10-24 AWG OUTDOOR CONTROL CABLE

CONDUCTOR
INNER JACKET
OUTER JACKET

TMT GLOBL 2 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40^{o}C to +80^{o}C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

2 CORE 10-24 AWG SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBL 2 CORE 10-24 AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

2 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 2 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

3 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBL 3 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

3 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBL 3 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CPSRG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

3 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBL 3 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

3 CORE 10-24 AWG CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
OUTER JACKET

TMT GLOBL 3 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40^{o}C to +80^{o}C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

3 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 3 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CLSRG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

3 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 3 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

3 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBL 3 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40^{o}C to +80^{o}C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CKURK-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

3 CORE 10-24 AWG SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBL 3 CORE 10-24 AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CKSRK-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

3 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBL 3 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

4 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBL 4 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

4 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

CONDUCTOR
INNER JACKET
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 4 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

4 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBL 4 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

4 CORE 10-24 AWG
CONTROL CABLE LSZH

TMT GLOBL 4 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^{o} New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40^{o}C to +80^{o}C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

4 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBL 4 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

4 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBL 4 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

4 CORE 10-24 AWG OUTDOOR CONTROL CABLE

CONDUCTOR
INNER JACKET
OUTER JACKET

TMT GLOBL 4 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40^{o}C to +80^{o}C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

4 CORE 10-24 AWG SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBL 4 CORE 10-24 AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

4 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 4 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CKBRK-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

6 CORE 10-24 AWG
CONTROL CABLE PVC

TMT GLOBL 6 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40⁰C to +80⁰C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

6 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBL 6 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

6 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBL 6 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CPBRG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

6 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBL 6 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40⁰C to +80⁰C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

6 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBL 6 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CLSRG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

6 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBL 6 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40^{o}C to +80^{o}C
Shielded: Aluminum Foiled +Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

6 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBL 6 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40⁰C to +80⁰C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

6 CORE 10-24 AWG SHIELDED OUTDOOR CONTROL CABLE

INNER JACKET
CONDUCTOR
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 6 CORE 10-24 AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

6 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBL 6 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

8 CORE 10-24 AWG CONTROL CABLE PVC

CONDUCTOR
INNER JACKET
OUTER JACKET

TMT GLOBL 8 CORE 10-24 AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70^o New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40^{o}C to +80^{o}C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

8 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBL 8 CORE 10-24 AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CPSRG-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

www.tmtglobal.co.uk , www.tmtuae.com

8 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 8 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PVC
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

8 CORE 10-24 AWG
CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
OUTER JACKET

TMT GLOBL 8 CORE 10-24 AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40⁰C to +80⁰C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

8 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 8 CORE 10-24 AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

8 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH

CONDUCTOR
INNER JACKET
OVER ALL BRAIDING
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 8 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

8 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBL 8 CORE 10-24 AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40⁰C to +80⁰C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CKURK-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

8 CORE 10-24 AWG SHIELDED OUTDOOR CONTROL CABLE

CONDUCTOR
INNER JACKET
ALUMINUM FOIL
OUTER JACKET

TMT GLOBL 8 CORE 10-24 AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application
- ❖ Audio/Video Intercom System
- ❖ Public Address System
- ❖ Access Control System
- ❖ Burglar Alarm System
- ❖ Lighting Control System
- ❖ CCTV Systems
- ❖ Gate Automation
- ❖ Smart Home Automation
- ❖ Building Automation
- ❖ BMS Systems
- ❖ Computer Systems
- ❖ Electronics Circuits
- ❖ Measurement Devices
- ❖ Office Equipments
- ❖ And Other ELV Systems

8 CORE 10-24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBL 8 CORE 10-24 AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION
Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70⁰ New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10-24 AWG
Jacket: PE Outdoor
Temperature Range: -40⁰C to +80⁰C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CKBRK-CR
**Manufactured By:** Fahad Cables Industry FZE (Made in UAE)

Application
❖ Audio/Video Intercom System
❖ Public Address System
❖ Access Control System
❖ Burglar Alarm System
❖ Lighting Control System
❖ CCTV Systems
❖ Gate Automation
❖ Smart Home Automation
❖ Building Automation
❖ BMS Systems
❖ Computer Systems
❖ Electronics Circuits
❖ Measurement Devices
❖ Office Equipments
❖ And Other ELV Systems

10AWG CONTROL CABLES MODEL DETAILS

2CORE

0210CPURG-CR	2CORE 10AWG CONTROL CABLE PVC GREY 305M
0210CPSRG-CR	2CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0210CPBRG-CR	2CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0210CLURG-CR	2CORE 10AWG CONTROL CABLE LSZH GREY 305M
0210CLSRG-CR	2CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0210CLBRG-CR	2CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0210CKURK-CR	2CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0210CKSRK-CR	2CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0210CKBRK-CR	2CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0310CPURG-CR	3CORE 10AWG CONTROL CABLE PVC GREY 305M
0310CPSRG-CR	3CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0310CPBRG-CR	3CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0310CLURG-CR	3CORE 10AWG CONTROL CABLE LSZH GREY 305M
0310CLSRG-CR	3CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0310CLBRG-CR	3CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0310CKURK-CR	3CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0310CKSRK-CR	3CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0310CKBRK-CR	3CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0410CPURG-CR	4CORE 10AWG CONTROL CABLE PVC GREY 305M
0410CPSRG-CR	4CORE 10AWG FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0410CPBRG-CR	4CORE 10AWG FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0410CLURG-CR	4CORE 10AWG CONTROL CABLE LSZH GREY 305M
0410CLSRG-CR	4CORE 10AWG FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0410CLBRG-CR	4CORE 10AWG FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0410CKURK-CR	4CORE 10AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0410CKSRK-CR	4 CORE 10AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0410CKBRK-CR	4CORE 10AWG FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0610CPURG-CR	6CORE 10AWG CONTROL CABLE PVC GREY 305M
0610CPSRG-CR	6CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0610CPBRG-CR	6CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0610CLURG-CR	6CORE 10AWG CONTROL CABLE LSZH GREY 305M
0610CLSRG-CR	6CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0610CLBRG-CR	6CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0610CKURK-CR	6CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0610CKSRK-CR	6CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0610CKBRK-CR	6CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0810CPURG-CR	8CORE 10AWG CONTROL CABLE PVC GREY 305M
0810CPSRG-CR	8CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0810CPBRG-CR	8CORE 10AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0810CLURG-CR	8CORE 10AWG CONTROL CABLE LSZH GREY 305M
0810CLSRG-CR	8CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0810CLBRG-CR	8CORE 10AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0810CKURK-CR	8CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0810CKSRK-CR	8CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0810CKBRK-CR	8CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

12AWG CONTROL CABLES MODEL DETAILS

2CORE

0212CPURG-CR	2CORE 12AWG CONTROL CABLE PVC GREY 305M
0212CPSRG-CR	2CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0212CPBRG-CR	2CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0212CLURG-CR	2CORE 12AWG CONTROL CABLE LSZH GREY 305M
0212CLSRG-CR	2CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0212CLBRG-CR	2CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0212CKURK-CR	2CORE 12AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0212CKSRK-CR	2CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0212CKBRK-CR	2CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0312CPURG-CR	3CORE 12AWG CONTROL CABLE PVC GREY 305M
0312CPSRG-CR	3CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0312CPBRG-CR	3CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0312CLURG-CR	3CORE 12AWG CONTROL CABLE LSZH GREY 305M
0312CLSRG-CR	3CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0312CLBRG-CR	3CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0312CKURK-CR	3CORE 12AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0312CKSRK-CR	3CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0312CKBRK-CR	3CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0412CPURG-CR	4CORE 12AWG CONTROL CABLE PVC GREY 305M
0412CPSRG-CR	4CORE 12AWG FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0412CPBRG-CR	4CORE 12AWG FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0412CLURG-CR	4CORE 12AWG CONTROL CABLE LSZH GREY 305M
0412CLSRG-CR	4CORE 12AWG FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0412CLBRG-CR	4CORE 12AWG FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0412CKURK-CR	4CORE 12AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0412CKSRK-CR	4 CORE 12AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0412CKBRK-CR	4CORE 12AWG FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0612CPURG-CR	6CORE 12AWG CONTROL CABLE PVC GREY 305M
0612CPSRG-CR	6CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0612CPBRG-CR	6CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0612CLURG-CR	6CORE 12AWG CONTROL CABLE LSZH GREY 305M
0612CLSRG-CR	6CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0612CLBRG-CR	6CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0612CKURK-CR	6CORE 12AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0612CKSRK-CR	6CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0612CKBRK-CR	6CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0812CPURG-CR	8CORE 12AWG CONTROL CABLE PVC GREY 305M
0812CPSRG-CR	8CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0812CPBRG-CR	8CORE 12AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0812CLURG-CR	8CORE 12AWG CONTROL CABLE LSZH GREY 305M
0812CLSRG-CR	8CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0812CLBRG-CR	8CORE 12AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0812CKURK-CR	8CORE 12AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0812CKSRK-CR	8CORE 12AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0812CKBRK-CR	8CORE 12AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

14AWG CONTROL CABLES MODEL DETAILS

2CORE

0214CPURG-CR	2CORE 14AWG CONTROL CABLE PVC GREY 305M
0214CPSRG-CR	2CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0214CPBRG-CR	2CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0214CLURG-CR	2CORE 14AWG CONTROL CABLE LSZH GREY 305M
0214CLSRG-CR	2CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0214CLBRG-CR	2CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0214CKURK-CR	2CORE 14AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0214CKSRK-CR	2CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0214CKBRK-CR	2CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0314CPURG-CR	3CORE 14AWG CONTROL CABLE PVC GREY 305M
0314CPSRG-CR	3CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0314CPBRG-CR	3CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0314CLURG-CR	3CORE 14AWG CONTROL CABLE LSZH GREY 305M
0314CLSRG-CR	3CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0314CLBRG-CR	3CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0314CKURK-CR	3CORE 14AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0314CKSRK-CR	3CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0314CKBRK-CR	3CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0414CPURG-CR	4CORE 14AWG CONTROL CABLE PVC GREY 305M
0414CPSRG-CR	4CORE 14AWG FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0414CPBRG-CR	4CORE 14AWG FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0414CLURG-CR	4CORE 14AWG CONTROL CABLE LSZH GREY 305M
0414CLSRG-CR	4CORE 14AWG FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0414CLBRG-CR	4CORE 14AWG FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0414CKURK-CR	4CORE 14AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0414CKSRK-CR	4 CORE 14AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0414CKBRK-CR	4CORE 14AWG FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0614CPURG-CR	6CORE 14AWG CONTROL CABLE PVC GREY 305M
0614CPSRG-CR	6CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0614CPBRG-CR	6CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0614CLURG-CR	6CORE 14AWG CONTROL CABLE LSZH GREY 305M
0614CLSRG-CR	6CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0614CLBRG-CR	6CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0614CKURK-CR	6CORE 14AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0614CKSRK-CR	6CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0614CKBRK-CR	6CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0814CPURG-CR	8CORE 14AWG CONTROL CABLE PVC GREY 305M
0814CPSRG-CR	8CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0814CPBRG-CR	8CORE 14AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0814CLURG-CR	8CORE 14AWG CONTROL CABLE LSZH GREY 305M
0814CLSRG-CR	8CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0814CLBRG-CR	8CORE 14AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0814CKURK-CR	8CORE 14AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0814CKSRK-CR	8CORE 14AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0814CKBRK-CR	8CORE 14AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

16AWG CONTROL CABLES MODEL DETAILS

2CORE

Model	Description
0216CPURG-CR	2CORE 16AWG CONTROL CABLE PVC GREY 305M
0216CPSRG-CR	2CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0216CPBRG-CR	2CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0216CLURG-CR	2CORE 16AWG CONTROL CABLE LSZH GREY 305M
0216CLSRG-CR	2CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0216CLBRG-CR	2CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0216CKURK-CR	2CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0216CKSRK-CR	2CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0216CKBRK-CR	2CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

Model	Description
0316CPURG-CR	3CORE 16AWG CONTROL CABLE PVC GREY 305M
0316CPSRG-CR	3CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0316CPBRG-CR	3CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0316CLURG-CR	3CORE 16AWG CONTROL CABLE LSZH GREY 305M
0316CLSRG-CR	3CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0316CLBRG-CR	3CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0316CKURK-CR	3CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0316CKSRK-CR	3CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0316CKBRK-CR	3CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

Model	Description
0416CPURG-CR	4CORE 16AWG CONTROL CABLE PVC GREY 305M
0416CPSRG-CR	4CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0416CPBRG-CR	4CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0416CLURG-CR	4CORE 16AWG CONTROL CABLE LSZH GREY 305M
0416CLSRG-CR	4CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0416CLBRG-CR	4CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0416CKURK-CR	4CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0416CKSRK-CR	4 CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0416CKBRK-CR	4CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

Model	Description
0616CPURG-CR	6CORE 16AWG CONTROL CABLE PVC GREY 305M
0616CPSRG-CR	6CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0616CPBRG-CR	6CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0616CLURG-CR	6CORE 16AWG CONTROL CABLE LSZH GREY 305M
0616CLSRG-CR	6CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0616CLBRG-CR	6CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0616CKURK-CR	6CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0616CKSRK-CR	6CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0616CKBRK-CR	6CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

Model	Description
0816CPURG-CR	8CORE 16AWG CONTROL CABLE PVC GREY 305M
0816CPSRG-CR	8CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0816CPBRG-CR	8CORE 16AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0816CLURG-CR	8CORE 16AWG CONTROL CABLE LSZH GREY 305M
0816CLSRG-CR	8CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0816CLBRG-CR	8CORE 16AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0816CKURK-CR	8CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0816CKSRK-CR	8CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0816CKBRK-CR	8CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

18AWG CONTROL CABLES MODEL DETAILS

2CORE

0218CPURG-CR	2CORE 18AWG CONTROL CABLE PVC GREY 305M
0218CPSRG-CR	2CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0218CPBRG-CR	2CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0218CLURG-CR	2CORE 18AWG CONTROL CABLE LSZH GREY 305M
0218CLSRG-CR	2CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0218CLBRG-CR	2CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0218CKURK-CR	2CORE 18AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0218CKSRK-CR	2CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0218CKBRK-CR	2CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0318CPURG-CR	3CORE 18AWG CONTROL CABLE PVC GREY 305M
0318CPSRG-CR	3CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0318CPBRG-CR	3CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0318CLURG-CR	3CORE 18AWG CONTROL CABLE LSZH GREY 305M
0318CLSRG-CR	3CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0318CLBRG-CR	3CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0318CKURK-CR	3CORE 18AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0318CKSRK-CR	3 CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0318CKBRK-CR	3CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0418CPURG-CR	4CORE 18AWG CONTROL CABLE PVC GREY 305M
0418CPSRG-CR	4CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0418CPBRG-CR	4CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0418CLURG-CR	4CORE 18AWG CONTROL CABLE LSZH GREY 305M
0418CLSRG-CR	4CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0418CLBRG-CR	4CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0418CKURK-CR	4CORE 18AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0418CKSRK-CR	4CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0418CKBRK-CR	4CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0618CPURG-CR	6CORE 18AWG CONTROL CABLE PVC GREY 305M
0618CPSRG-CR	6CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0618CPBRG-CR	6CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0618CLURG-CR	6CORE 18AWG CONTROL CABLE LSZH GREY 305M
0618CLSRG-CR	6CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0618CLBRG-CR	6CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0618CKURK-CR	6CORE 18AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0618CKSRK-CR	6CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0618CKBRK-CR	6CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0818CPURG-CR	8CORE 18AWG CONTROL CABLE PVC GREY 305M
0818CPSRG-CR	8CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0818CPBRG-CR	8CORE 18AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0818CLURG-CR	8CORE 18AWG CONTROL CABLE LSZH GREY 305M
0818CLSRG-CR	8CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0818CLBRG-CR	8CORE 18AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0818CKURK-CR	8CORE 18AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0818CKSRK-CR	8CORE 18AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0818CKBRK-CR	8CORE 18AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

20AWG CONTROL CABLES MODEL DETAILS

2CORE

0220CPURG-CR	2CORE 20AWG CONTROL CABLE PVC GREY 305M
0220CPSRG-CR	2CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0220CPBRG-CR	2CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0220CLURG-CR	2CORE 20AWG CONTROL CABLE LSZH GREY 305M
0220CLSRG-CR	2CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0220CLBRG-CR	2CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0220CKURK-CR	2CORE 20AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0220CKSRK-CR	2CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0220CKBRK-CR	2CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0320CPURG-CR	3CORE 20AWG CONTROL CABLE PVC GREY 305M
0320CPSRG-CR	3CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0320CPBRG-CR	3CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0320CLURG-CR	3CORE 20AWG CONTROL CABLE LSZH GREY 305M
0320CLSRG-CR	3CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0320CLBRG-CR	3CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0320CKURK-CR	3CORE 20AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0320CKSRK-CR	3CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0320CKBRK-CR	3CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0420CPURG-CR	4CORE 20AWG CONTROL CABLE PVC GREY 305M
0420CPSRG-CR	4CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0420CPBRG-CR	4CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0420CLURG-CR	4CORE 20AWG CONTROL CABLE LSZH GREY 305M
0420CLSRG-CR	4CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0420CLBRG-CR	4CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0420CKURK-CR	4CORE 20AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0420CKSRK-CR	4 CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0420CKBRK-CR	4CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0620CPURG-CR	6CORE 20AWG CONTROL CABLE PVC GREY 305M
0620CPSRG-CR	6CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0620CPBRG-CR	6CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0620CLURG-CR	6CORE 20AWG CONTROL CABLE LSZH GREY 305M
0620CLSRG-CR	6CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0620CLBRG-CR	6CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0620CKURK-CR	6CORE 20AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0620CKSRK-CR	6CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0620CKBRK-CR	6CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0820CPURG-CR	8CORE 20AWG CONTROL CABLE PVC GREY 305M
0820CPSRG-CR	8CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0820CPBRG-CR	8CORE 20AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0820CLURG-CR	8CORE 20AWG CONTROL CABLE LSZH GREY 305M
0820CLSRG-CR	8CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0820CLBRG-CR	8CORE 20AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0820CKURK-CR	8CORE 20AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0820CKSRK-CR	8CORE 20AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0820CKBRK-CR	8CORE 20AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

22AWG CONTROL CABLES MODEL DETAILS

2CORE

0222CPURG-CR	2CORE 22AWG CONTROL CABLE PVC GREY 305M
0222CPSRG-CR	2CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0222CPBRG-CR	2CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0222CLURG-CR	2CORE 22AWG CONTROL CABLE LSZH GREY 305M
0222CLSRG-CR	2CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0222CLBRG-CR	2CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0222CKURK-CR	2CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0222CKSRK-CR	2CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0222CKBRK-CR	2CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0322CPURG-CR	3CORE 22AWG CONTROL CABLE PVC GREY 305M
0322CPSRG-CR	3CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0322CPBRG-CR	3CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0322CLURG-CR	3CORE 22AWG CONTROL CABLE LSZH GREY 305M
0322CLSRG-CR	3CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0322CLBRG-CR	3CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0322CKURK-CR	3CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0322CKSRK-CR	3CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0322CKBRK-CR	3CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0422CPURG-CR	4CORE 22AWG CONTROL CABLE PVC GREY 305M
0422CPSRG-CR	4CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0422CPBRG-CR	4CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0422CLURG-CR	4CORE 22AWG CONTROL CABLE LSZH GREY 305M
0422CLSRG-CR	4CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0422CLBRG-CR	4CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0422CKURK-CR	4CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0422CKSRK-CR	4CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0422CKBRK-CR	4CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0622CPURG-CR	6CORE 22AWG CONTROL CABLE PVC GREY 305M
0622CPSRG-CR	6CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0622CPBRG-CR	6CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0622CLURG-CR	6CORE 22AWG CONTROL CABLE LSZH GREY 305M
0622CLSRG-CR	6CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0622CLBRG-CR	6CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0622CKURK-CR	6CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0622CKSRK-CR	6CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0622CKBRK-CR	6CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0822CPURG-CR	8CORE 22AWG CONTROL CABLE PVC GREY 305M
0822CPSRG-CR	8CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0822CPBRG-CR	8CORE 22AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0822CLURG-CR	8CORE 22AWG CONTROL CABLE LSZH GREY 305M
0822CLSRG-CR	8CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0822CLBRG-CR	8CORE 22AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0822CKURK-CR	8CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0822CKSRK-CR	8CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0822CKBRK-CR	8CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

24AWG CONTROL CABLES MODEL DETAILS

2CORE

0224CPURG-CR	2CORE 24AWG CONTROL CABLE PVC GREY 305M
0224CPSRG-CR	2CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0224CPBRG-CR	2CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0224CLURG-CR	2CORE 24AWG CONTROL CABLE LSZH GREY 305M
0224CLSRG-CR	2CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0224CLBRG-CR	2CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0224CKURK-CR	2CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0224CKSRK-CR	2CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0224CKBRK-CR	2CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

3CORE

0324CPURG-CR	3CORE 24AWG CONTROL CABLE PVC GREY 305M
0324CPSRG-CR	3CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0324CPBRG-CR	3CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0324CLURG-CR	3CORE 24AWG CONTROL CABLE LSZH GREY 305M
0324CLSRG-CR	3CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0324CLBRG-CR	3CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0324CKURK-CR	3CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0324CKSRK-CR	3CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0324CKBRK-CR	3CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

4CORE

0424CPURG-CR	4CORE 24AWG CONTROL CABLE PVC GREY 305M
0424CPSRG-CR	4CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0424CPBRG-CR	4CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0424CLURG-CR	4CORE 24AWG CONTROL CABLE LSZH GREY 305M
0424CLSRG-CR	4CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0424CLBRG-CR	4CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0424CKURK-CR	4CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0424CKSRK-CR	4CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0424CKBRK-CR	4CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

6CORE

0624CPURG-CR	6CORE 24AWG CONTROL CABLE PVC GREY 305M
0624CPSRG-CR	6CORE 24AWG FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0624CPBRG-CR	6CORE 24AWG FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0624CLURG-CR	6CORE 24AWG CONTROL CABLE LSZH GREY 305M
0624CLSRG-CR	6CORE 24AWG FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0624CLBRG-CR	6CORE 24AWG FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0624CKURK-CR	6CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0624CKSRK-CR	6CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0624CKBRK-CR	6CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

8CORE

0824CPURG-CR	8CORE 24AWG CONTROL CABLE PVC GREY 305M
0824CPSRG-CR	8CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0824CPBRG-CR	8CORE 24AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0824CLURG-CR	8CORE 24AWG CONTROL CABLE LSZH GREY 305M
0824CLSRG-CR	8CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0824CLBRG-CR	8CORE 24AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0824CKURK-CR	8CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0824CKSRK-CR	8CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0824CKBRK-CR	8CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M

MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport 📍

info@tmtuae.com ✉

www.tmtuae.com 🌐

shop.amssuae.com 🛒

TMT Global
TECHNOLOGY LTD

UK OFFICE

TMT Global Technology Ltd. (UK)

📍 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

✉ info@tmtglobal.co.uk

🌐 www.tmtglobal.co.uk