



PRODUCTS **CATALOGUE**


10 AWG CONTROL CABLES





2 CORE 10 AWG CONTROL CABLE PVC





TMT GLOBL 2 CORE 10AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: NL
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 2 CORE 10AWG OVER ALL FOIL SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 2 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG CONTROL CABLE LSZH





TMT GLOBL 2 CORE 10AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 2 CORE 10AWG OVER ALL FOIL SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 2 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10AWG OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 10AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 10AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0210CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 10 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 10AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 10 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 10AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 10 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 10AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 10 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 10AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 10AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 10AWG OUTDOOR CONTROL CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 10AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 10 AWG

Jacket: PE Outdoor

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0310CKURK-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 10 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 10AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0310CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 10AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 10AWG SHIELED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 10AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 10AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 10AWG SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 10AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10AWG OUTDOOR CONTROL CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 10AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 10AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0410CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG CONTROL CABLE PVC





TMT GLOBL 6 CORE 10AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 10AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 10 AWG

Jacket: PVC

Temperature Range: -40°C to +80°C

Shielded: Aluminum Foiled

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0610CPSRG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG CONTROL CABLE LSZH





TMT GLOBL 6 CORE 10AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 10 AWG

Jacket: LSZH

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0610CLURG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 10AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 10AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled +Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10AWG OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 10AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 10AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBAL 6 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0610CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG CONTROL CABLE PVC





TMT GLOBL 8 CORE 10AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 10 AWG

Jacket: PVC

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0810CPURG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 10AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG CONTROL CABLE LSZH





TMT GLOBL 8 CORE 10AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 10AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 10AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10AWG OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 10AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 10AWG OVER ALL FOIL SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 10 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 10AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 10 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0810CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems



10AWG CONTROL CABLES MODEL DETAILS	
2CORE	
0210CPURG-CR	2CORE 10AWG CONTROL CABLE PVC GREY 305M
0210CPSRG-CR	2CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0210CPBRG-CR	2CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0210CLURG-CR	2CORE 10AWG CONTROL CABLE LSZH GREY 305M
0210CLSRG-CR	2CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0210CLBRG-CR	2CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0210CKURK-CR	2CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0210CKSRK-CR	2CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0210CKBRK-CR	2CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
3CORE	
0310CPURG-CR	3CORE 10AWG CONTROL CABLE PVC GREY 305M
0310CPSRG-CR	3CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0310CPBRG-CR	3CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0310CLURG-CR	3CORE 10AWG CONTROL CABLE LSZH GREY 305M
0310CLSRG-CR	3CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0310CLBRG-CR	3CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0310CKURK-CR	3CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0310CKSRK-CR	3CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0310CKBRK-CR	3CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
4CORE	
0410CPURG-CR	4CORE 10AWG CONTROL CABLE PVC GREY 305M
0410CPSRG-CR	4CORE 10AWG FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0410CPBRG-CR	4CORE 10AWG FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0410CLURG-CR	4CORE 10AWG CONTROL CABLE LSZH GREY 305M
0410CLSRG-CR	4CORE 10AWG FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0410CLBRG-CR	4CORE 10AWG FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0410CKURK-CR	4CORE 10AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0410CKSRK-CR	4 CORE 10AWG FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0410CKBRK-CR	4CORE 10AWG FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
6CORE	
0610CPURG-CR	6CORE 10AWG CONTROL CABLE PVC GREY 305M
0610CPSRG-CR	6CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0610CPBRG-CR	6CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0610CLURG-CR	6CORE 10AWG CONTROL CABLE LSZH GREY 305M
0610CLSRG-CR	6CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0610CLBRG-CR	6CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0610CKURK-CR	6CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0610CKSRK-CR	6CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0610CKBRK-CR	6CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
8CORE	
0810CPURG-CR	8CORE 10AWG CONTROL CABLE PVC GREY 305M
0810CPSRG-CR	8CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0810CPBRG-CR	8CORE 10AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0810CLURG-CR	8CORE 10AWG CONTROL CABLE LSZH GREY 305M
0810CLSRG-CR	8CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0810CLBRG-CR	8CORE 10AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0810CKURK-CR	8CORE 10AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0810CKSRK-CR	8CORE 10AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0810CKBRK-CR	8CORE 10AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M



MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com



shop.amssuae.com



UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

