



PRODUCTS **CATALOGUE**


16 AWG CONTROL CABLES





2 CORE 16 AWG CONTROL CABLE PVC





TMT GLOBL 2 CORE 16AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: NL
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2 CORE 16 AWG SHIELDED CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET
ALUMINUM FOIL



TMT GLOBL 2 CORE 16AWG OVER ALL FOIL SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





**2 CORE 16 AWG OVER ALL FOIL
+BRAID SHIELDED CONTROL
CABLE PVC**





TMT GLOBL 2 CORE 16AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 16 AWG CONTROL CABLE LSZH





TMT GLOBL 2 CORE 16AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2 CORE 16 AWG SHIELDED CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET
ALUMINUM FOIL



TMT GLOBL 2 CORE 16AWG OVER ALL FOIL SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





**2 CORE 16 AWG OVER ALL FOIL
+BRAID SHIELDED CONTROL
CABLE LSZH**





TMT GLOBL 2 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 16AWG OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 16AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 16 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 16AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 16AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 16 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 16AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 16AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 16AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 16 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 16AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 16AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16AWG OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 16AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 16AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 16AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 16AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 16AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 16AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 16AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 16AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16AWG OUTDOOR CONTROL CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 16AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 16AWG OVER ALL FOIL SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 16AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG CONTROL CABLE PVC





TMT GLOBL 6 CORE 16AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 16AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG CONTROL CABLE LSZH





TMT GLOBL 6 CORE 16AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 16AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 16AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled +Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16AWG OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 16AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 16AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 16AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG CONTROL CABLE PVC





TMT GLOBL 8 CORE 16AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 16 AWG

Jacket: PVC

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0816CPURG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 16AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG CONTROL CABLE LSZH





TMT GLOBL 8 CORE 16AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 16AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 16 AWG

Jacket: LSZH

Temperature Range: -40°C to +80°C

Shielded: Aluminum Foiled

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0816CLSRG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16AWG OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 16AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 16AWG OVER ALL FOIL SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 16AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems



16AWG CONTROL CABLES MODEL DETAILS	
2CORE	
0216CPURG-CR	2CORE 16AWG CONTROL CABLE PVC GREY 305M
0216CPSRG-CR	2CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0216CPBRG-CR	2CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0216CLURG-CR	2CORE 16AWG CONTROL CABLE LSZH GREY 305M
0216CLSRG-CR	2CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0216CLBRG-CR	2CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0216CKURK-CR	2CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0216CKSRK-CR	2CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0216CKBRK-CR	2CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
3CORE	
0316CPURG-CR	3CORE 16AWG CONTROL CABLE PVC GREY 305M
0316CPSRG-CR	3CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0316CPBRG-CR	3CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0316CLURG-CR	3CORE 16AWG CONTROL CABLE LSZH GREY 305M
0316CLSRG-CR	3CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0316CLBRG-CR	3CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0316CKURK-CR	3CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0316CKSRK-CR	3CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0316CKBRK-CR	3CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
4CORE	
0416CPURG-CR	4CORE 16AWG CONTROL CABLE PVC GREY 305M
0416CPSRG-CR	4CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0416CPBRG-CR	4CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0416CLURG-CR	4CORE 16AWG CONTROL CABLE LSZH GREY 305M
0416CLSRG-CR	4CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0416CLBRG-CR	4CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0416CKURK-CR	4CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0416CKSRK-CR	4 CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0416CKBRK-CR	4CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
6CORE	
0616CPURG-CR	6CORE 16AWG CONTROL CABLE PVC GREY 305M
0616CPSRG-CR	6CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0616CPBRG-CR	6CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0616CLURG-CR	6CORE 16AWG CONTROL CABLE LSZH GREY 305M
0616CLSRG-CR	6CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0616CLBRG-CR	6CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0616CKURK-CR	6CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0616CKSRK-CR	6CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0616CKBRK-CR	6CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
8CORE	
0816CPURG-CR	8CORE 16AWG CONTROL CABLE PVC GREY 305M
0816CPSRG-CR	8CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0816CPBRG-CR	8CORE 16AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0816CLURG-CR	8CORE 16AWG CONTROL CABLE LSZH GREY 305M
0816CLSRG-CR	8CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0816CLBRG-CR	8CORE 16AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0816CKURK-CR	8CORE 16AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0816CKSRK-CR	8CORE 16AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0816CKBRK-CR	8CORE 16AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M



MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com



shop.amssuae.com



UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

