



PRODUCTS **CATALOGUE**


22 AWG CONTROL CABLES





2 CORE 22 AWG CONTROL CABLE PVC





TMT GLOBL 2 CORE 22AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: NL
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 22 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





**2 CORE 22 AWG OVER ALL FOIL
+BRAID SHIELDED CONTROL
CABLE PVC**





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 22 AWG CONTROL CABLE LSZH





TMT GLOBL 2 CORE 22AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 22 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





**2 CORE 22 AWG OVER ALL FOIL
+BRAID SHIELDED CONTROL
CABLE LSZH**





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 22AWG OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 22AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 22 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





**2 CORE 22 AWG OVER ALL FOIL
+BRAID SHIELDED OUTDOOR
CONTROL CABLE**





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 22 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 22AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 22AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 22 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 22AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 22AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22AWG OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 22AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 22AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0322CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 22AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 22AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 22AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 22AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 22AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22AWG OUTDOOR CONTROL CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 22AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 22AWG OVER ALL FOIL SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0422CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG CONTROL CABLE PVC





TMT GLOBL 6 CORE 22AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 22AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 22 AWG

Jacket: PVC

Temperature Range: -40°C to +80°C

Shielded: Aluminum Foiled

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0622CPSRG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG CONTROL CABLE LSZH





TMT GLOBL 6 CORE 22AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 22AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled +Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22AWG OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 22AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 22 AWG

Jacket: PE Outdoor

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0622CKURK-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 22AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 22AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0622CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG CONTROL CABLE PVC





TMT GLOBL 8 CORE 22AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0822CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 22AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 22 AWG

Jacket: PVC

Temperature Range: -40°C to +80°C

Shielded: Aluminum Foiled

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0822CPSRG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0822CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG CONTROL CABLE LSZH





TMT GLOBL 8 CORE 22AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 22 AWG

Jacket: LSZH

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0822CLURG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 22AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 22 AWG

Jacket: LSZH

Temperature Range: -40°C to +80°C

Shielded: Aluminum Foiled

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0822CLSRG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0822CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22AWG OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 22AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0822CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 22AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0822CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 22 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 22AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0822CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems



22AWG CONTROL CABLES MODEL DETAILS	
2CORE	
0222CPURG-CR	2CORE 22AWG CONTROL CABLE PVC GREY 305M
0222CPSRG-CR	2CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0222CPBRG-CR	2CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0222CLURG-CR	2CORE 22AWG CONTROL CABLE LSZH GREY 305M
0222CLSRG-CR	2CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0222CLBRG-CR	2CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0222CKURK-CR	2CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0222CKSRK-CR	2CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0222CKBRK-CR	2CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
3CORE	
0322CPURG-CR	3CORE 22AWG CONTROL CABLE PVC GREY 305M
0322CPSRG-CR	3CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0322CPBRG-CR	3CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0322CLURG-CR	3CORE 22AWG CONTROL CABLE LSZH GREY 305M
0322CLSRG-CR	3CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0322CLBRG-CR	3CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0322CKURK-CR	3CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0322CKSRK-CR	3CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0322CKBRK-CR	3CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
4CORE	
0422CPURG-CR	4CORE 22AWG CONTROL CABLE PVC GREY 305M
0422CPSRG-CR	4CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0422CPBRG-CR	4CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0422CLURG-CR	4CORE 22AWG CONTROL CABLE LSZH GREY 305M
0422CLSRG-CR	4CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0422CLBRG-CR	4CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0422CKURK-CR	4CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0422CKSRK-CR	4CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0422CKBRK-CR	4CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
6CORE	
0622CPURG-CR	6CORE 22AWG CONTROL CABLE PVC GREY 305M
0622CPSRG-CR	6CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0622CPBRG-CR	6CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0622CLURG-CR	6CORE 22AWG CONTROL CABLE LSZH GREY 305M
0622CLSRG-CR	6CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0622CLBRG-CR	6CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0622CKURK-CR	6CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0622CKSRK-CR	6CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0622CKBRK-CR	6CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
8CORE	
0822CPURG-CR	8CORE 22AWG CONTROL CABLE PVC GREY 305M
0822CPSRG-CR	8CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0822CPBRG-CR	8CORE 22AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0822CLURG-CR	8CORE 22AWG CONTROL CABLE LSZH GREY 305M
0822CLSRG-CR	8CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0822CLBRG-CR	8CORE 22AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0822CKURK-CR	8CORE 22AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0822CKSRK-CR	8CORE 22AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0822CKBRK-CR	8CORE 22AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M



MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com




shop.amssuae.com




UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

