



PRODUCTS **CATALOGUE**


24 AWG CONTROL CABLES





2 CORE 24 AWG CONTROL CABLE PVC





TMT GLOBL 2 CORE 24AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: NL
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 2 CORE 24AWG OVER ALL FOIL SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 2 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24 AWG CONTROL CABLE LSZH





TMT GLOBL 2 CORE 24AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






2 CORE 24 AWG SHIELDED CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET
ALUMINUM FOIL



TMT GLOBL 2 CORE 24AWG OVER ALL FOIL SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 2 CORE 22AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 22 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0222CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24AWG OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 24AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 24AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 2 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0224CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 24 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 24AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 24AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 3 CORE 24AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 24 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 3 CORE 24AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 24AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 3 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24AWG OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 24AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 24AWG OVER ALL FOIL SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 3 CORE 24AWG OVER ALL FOIL+BRAID SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0324CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






4 CORE 24 AWG CONTROL CABLE PVC



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 24AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 24AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 4 CORE 24AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG CONTROL CABLE LSZH



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 24AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 24AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 4 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24AWG OUTDOOR CONTROL CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 24AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 24AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 4 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0424CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG CONTROL CABLE PVC





TMT GLOBL 6 CORE 24AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 24AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CPSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 6 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG CONTROL CABLE LSZH





TMT GLOBL 6 CORE 24AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CLURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 24AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 6 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled +Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24AWG OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 24AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 24AWG OVER ALL FOIL SHIELED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 6 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0624CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG CONTROL CABLE PVC





TMT GLOBL 8 CORE 24AWG CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CPURG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 24AWG SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 24 AWG

Jacket: PVC

Temperature Range: -40°C to +80°C

Shielded: Aluminum Foiled

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0824CPSRG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE PVC





TMT GLOBL 8 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED CONTROL CABLE PVC

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PVC
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CPBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG CONTROL CABLE LSZH





TMT GLOBL 8 CORE 24AWG CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable

Conductor: HCCA/Bare copper

Inner Jacket Insulation: HDPE

Outer Diameter: 4.5mm-18mm

Material: 70° New material

Color: Grey/Black/Green/Blue/Custom size

Max Working voltage: 300v -500v

Conductor size: 24 AWG

Jacket: LSZH

Temperature Range: -40°C to +80°C

Shielded: N/L

Packing : 305m/500m/1000m/ Reel

Model No: TMT-0824CLURG-CR

Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 24AWG SHIELDED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CLSRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED CONTROL CABLE LSZH





TMT GLOBL 8 CORE 24AWG OVER ALL FOIL+BRAID SHIELED CONTROL CABLE LSZH

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: LSZH
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CLBRG-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24AWG OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 24AWG OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CKURK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 24AWG OVER ALL FOIL SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CKSRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 24 AWG OVER ALL FOIL +BRAID SHIELDED OUTDOOR CONTROL CABLE





TMT GLOBL 8 CORE 24AWG OVER ALL FOIL+BRAID SHIELDED OUTDOOR CONTROL CABLE

TMT GLOBAL provides high-quality Control cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, Smart building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Control cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: Control Cable
Conductor: HCCA/Bare copper
Inner Jacket Insulation: HDPE
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 24 AWG
Jacket: PE Outdoor
Temperature Range: -40°C to +80°C
Shielded: Aluminum Foiled + Braiding
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0824CKBRK-CR
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems



24AWG CONTROL CABLES MODEL DETAILS	
2CORE	
0224CPURG-CR	2CORE 24AWG CONTROL CABLE PVC GREY 305M
0224CPSRG-CR	2CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0224CPBRG-CR	2CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0224CLURG-CR	2CORE 24AWG CONTROL CABLE LSZH GREY 305M
0224CLSRG-CR	2CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0224CLBRG-CR	2CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0224CKURK-CR	2CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0224CKSRK-CR	2CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0224CKBRK-CR	2CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
3CORE	
0324CPURG-CR	3CORE 24AWG CONTROL CABLE PVC GREY 305M
0324CPSRG-CR	3CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0324CPBRG-CR	3CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0324CLURG-CR	3CORE 24AWG CONTROL CABLE LSZH GREY 305M
0324CLSRG-CR	3CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0324CLBRG-CR	3CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0324CKURK-CR	3CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0324CKSRK-CR	3CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0324CKBRK-CR	3CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
4CORE	
0424CPURG-CR	4CORE 24AWG CONTROL CABLE PVC GREY 305M
0424CPSRG-CR	4CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0424CPBRG-CR	4CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0424CLURG-CR	4CORE 24AWG CONTROL CABLE LSZH GREY 305M
0424CLSRG-CR	4CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0424CLBRG-CR	4CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0424CKURK-CR	4CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0424CKSRK-CR	4CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0424CKBRK-CR	4CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
6CORE	
0624CPURG-CR	6CORE 24AWG CONTROL CABLE PVC GREY 305M
0624CPSRG-CR	6CORE 24AWG FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0624CPBRG-CR	6CORE 24AWG FOIL+ BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0624CLURG-CR	6CORE 24AWG CONTROL CABLE LSZH GREY 305M
0624CLSRG-CR	6CORE 24AWG FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0624CLBRG-CR	6CORE 24AWG FOIL+ BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0624CKURK-CR	6CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0624CKSRK-CR	6CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
0624CKBRK-CR	6CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M
8CORE	
0824CPURG-CR	8CORE 24AWG CONTROL CABLE PVC GREY 305M
0824CPSRG-CR	8CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0824CPBRG-CR	8CORE 24AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE PVC GREY 305M
0824CLURG-CR	8CORE 24AWG CONTROL CABLE LSZH GREY 305M
0824CLSRG-CR	8CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE LSZH GREY 305M
0824CLBRG-CR	8CORE 24AWG OVERALL FOIL + BRAID SHIELDED CONTROL CABLE LSZH GREY 305M
0824CKURK-CR	8CORE 24AWG CONTROL CABLE PE OUTDOOR BLACK 305M
0824CKSRK-CR	8CORE 24AWG OVERALL FOIL SHIELDED CONTROL CABLE PVC GREY 305M
0824CKBRK-CR	8CORE 24AWG OVERALL FOIL+ BRAID SHIELDED CONTROL CABLE PE OUTDOOR BLACK 305M



MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com




shop.amssuae.com




UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

