



PRODUCTS
CATALOGUE


16-24 AWG RUBBER CABLES





2 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 2 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: NL
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CPURG-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





2 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 2 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0216CKURK-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems






3 CORE 16-24 AWG RUBBER CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBAL 3 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CPURG-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





3 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 3 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.


GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0316CKURK-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 4 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CPURG-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





4 CORE 16-24 AWG RUBBER CABLE



CONDUCTOR
INNER JACKET
OUTER JACKET



TMT GLOBL 4 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0416CKURK-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 6 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CPURG-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





6 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 6 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0616CKURK-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 8 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CPURG-RB
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application


- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems





8 CORE 16-24 AWG RUBBER CABLE





TMT GLOBL 8 CORE 16-24 AWG RUBBER CABLE

TMT GLOBAL provides high-quality Rubber cables for use in various industrial and building automation indoor and outdoor applications. They can be easily used with their flexible construction in narrow applications like CCTV systems, SMATV systems, audio video intercom systems, public address systems, access control systems, burglar alarm systems, lighting control systems, gate automation systems, smart home automation, building automation systems, computer systems, and many more ELV systems. The products have unique properties and benefits for different types of use. **TMT GLOBAL** Rubber cable products can easily meet complex application requirements and specifications.

GENERAL SPECIFICATION

Cable Type: RUBBER CABLE
Conductor: HCCA/Bare copper
Inner Jacket Insulation: PVC
Outer Diameter: 4.5mm-18mm
Material: 70° New material
Color: Grey/Black/Green/Blue/Custom size
Max Working voltage: 300v -500v
Conductor size: 16-24 AWG
Jacket: Rubber
Temperature Range: -40°C to +80°C
Shielded: N/L
Packing : 305m/500m/1000m/ Reel
Model No: TMT-0816CKURK-RG
Manufactured By: Fahad Cables Industry FZE (Made in UAE)

Application

- Audio/Video Intercom System
- Public Address System
- Access Control System
- Burglar Alarm System
- Lighting Control System
- CCTV Systems
- Gate Automation
- Smart Home Automation
- Building Automation
- Computer Systems
- Electronics Circuits
- Measurement Devices
- Office Equipment's
- And Other ELV Systems



RUBBER CABLES

16-AWG BMS CABLES MODEL DETAILS	
2CORE	
0216CPURG-RB	2CORE 16AWG RUBBER CABLE GREY 305M
0216CKURK-RB	2CORE 16AWG RUBBER CABLE BLACK 305M
3CORE	
0316CPURG-RB	3CORE 16AWG RUBBER CABLE GREY 305M
0316CKURK-RB	3CORE 16AWG RUBBER CABLE BLACK 305M
4CORE	
0416CPURG-RB	4CORE 16AWG RUBBER CABLE GREY 305M
0416CKURK-RB	4CORE 16AWG RUBBER CABLE BLACK 305M
6CORE	
0616CPURG-RB	6CORE 16AWG RUBBER CABLE GREY 305M
0616CKURK-RB	6CORE 16AWG RUBBER CABLE BLACK 305M
8CORE	
0816CPURG-RB	8CORE 16AWG RUBBER CABLE GREY 305M
0816CKURK-RB	8CORE 16AWG RUBBER CABLE BLACK 305M

18-AWG BMS CABLES MODEL DETAILS	
2CORE	
0218CPURG-RB	2CORE 18AWG RUBBER CABLE GREY 305M
0218CKURK-RB	2CORE 18AWG RUBBER CABLE BLACK 305M
3CORE	
0318CPURG-RB	3CORE 18AWG RUBBER CABLE GREY 305M
0318CKURK-RB	3CORE 18AWG RUBBER CABLE BLACK 305M
4CORE	
0418CPURG-RB	4CORE 18AWG RUBBER CABLE GREY 305M
0418CKURK-RB	4CORE 18AWG RUBBER CABLE BLACK 305M
6CORE	
0618CPURG-RB	6CORE 18AWG RUBBER CABLE GREY 305M
0618CKURK-RB	6CORE 18AWG RUBBER CABLE BLACK 305M
8CORE	
0818CPURG-RB	8CORE 18AWG RUBBER CABLE GREY 305M
0818CKURK-RB	8CORE 18AWG RUBBER CABLE BLACK 305M

20-AWG BMS CABLES MODEL DETAILS	
2CORE	
0220CPURG-RB	2CORE 20AWG RUBBER CABLE GREY 305M
0220CKURK-RB	2CORE 20AWG RUBBER CABLE BLACK 305M
3CORE	
0320CPURG-RB	3CORE 20AWG RUBBER CABLE GREY 305M
0320CKURK-RB	3CORE 20AWG RUBBER CABLE BLACK 305M
4CORE	
0420CPURG-RB	4CORE 20AWG RUBBER CABLE GREY 305M
0420CKURK-RB	4CORE 20AWG RUBBER CABLE BLACK 305M
6CORE	
0620CPURG-RB	6CORE 20AWG RUBBER CABLE GREY 305M
0620CKURK-RB	6CORE 20AWG RUBBER CABLE BLACK 305M
8CORE	
0820CPURG-RB	8CORE 20AWG RUBBER CABLE GREY 305M
0820CKURK-RB	8CORE 20AWG RUBBER CABLE BLACK 305M

22-AWG BMS CABLES MODEL DETAILS	
2CORE	
0222CPURG-RB	2CORE 22AWG RUBBER CABLE GREY 305M
0222CKURK-RB	2CORE 22AWG RUBBER CABLE BLACK 305M
3CORE	
0322CPURG-RB	3CORE 22AWG RUBBER CABLE GREY 305M
0322CKURK-RB	3CORE 22AWG RUBBER CABLE BLACK 305M
4CORE	
0422CPURG-RB	4CORE 22AWG RUBBER CABLE GREY 305M
0422CKURK-RB	4CORE 22AWG RUBBER CABLE BLACK 305M
6CORE	
0622CPURG-RB	6CORE 22AWG RUBBER CABLE GREY 305M
0622CKURK-RB	6CORE 22AWG RUBBER CABLE BLACK 305M
8CORE	
0822CPURG-RB	8CORE 22AWG RUBBER CABLE GREY 305M
0822CKURK-RB	8CORE 22AWG RUBBER CABLE BLACK 305M

24-AWG BMS CABLES MODEL DETAILS	
2CORE	
0224CPURG-RB	2CORE 24AWG RUBBER CABLE GREY 305M
0224CKURK-RB	2CORE 24AWG RUBBER CABLE BLACK 305M
3CORE	
0324CPURG-RB	3CORE 24AWG RUBBER CABLE GREY 305M
0324CKURK-RB	3CORE 24AWG RUBBER CABLE BLACK 305M
4CORE	
0424CPURG-RB	4CORE 24AWG RUBBER CABLE GREY 305M
0424CKURK-RB	4CORE 24AWG RUBBER CABLE BLACK 305M
6CORE	
0624CPURG-RB	6CORE 24AWG RUBBER CABLE GREY 305M
0624CKURK-RB	6CORE 24AWG RUBBER CABLE BLACK 305M
8CORE	
0824CPURG-RB	8CORE 24AWG RUBBER CABLE GREY 305M
0824CKURK-RB	8CORE 24AWG RUBBER CABLE BLACK 305M



MIDDLE EAST OFFICE

TMT Global Technology FZE

Saif-zone Sharjah Airport



info@tmtuae.com



www.tmtuae.com




shop.amssuae.com




UK OFFICE

TMT Global Technology Ltd. (UK)

 120 Baker Street, 3rd Floor
London, England, W1U 6TU,
United Kingdom

 info@tmtglobal.co.uk

 www.tmtglobal.co.uk

